

THE ARCTIC ADVANTAGE

Engineering Reimagined

QUALITY | Signature Series Standard Features



One piece corners

- » Increased durability and strength

LED digital thermometer

- » Easily readable display

36" high kick plates on the interior and exterior of doors

- » DTP or Smooth Stainless Steel
- » Enhanced door protection

Hard rail foamed-in-place urethane panels

- » Permits greater design flexibility, protects and provides longevity

34" Self-closing, foamed-in-place, in-fitting, flush-mounted door with heavy duty hinges, easily replaceable magnetic gaskets and dual door sweep

- » Improves door performance
- » Other door sizes available to match your needs

Modular design with cam-lock tongue and groove construction and NSF approved vinyl gaskets

- » Ensures an airtight fit between panels keeping the cold in and the warm out

Center-mounted vapor-proof light with integral safety night light

- » Center mount maximizes storage space
- » Locate the door even when the lights are turned off

NSF approved smooth aluminum floors

- » Optional finishes available

Standard 4" thick panels with a cooler R-value 28 and freezer R-value 32

- » Regulation Compliant

Freezer door heaters include a temperature sensing device

- » Turns heater wire off when not needed

Cooler doors include structural FRP, freezer doors include structural aluminum

- » Two layers of engineered steel backing for attachment of door hardware

5-3/8" thick panels for your most challenging freezer requirements

- » Environmentally friendly foam meets or exceeds all regulatory requirements

SERVICE

ACSEP | Arctic's Customer Service Excellence Program

Redefining customer care before, during & after the sale

BEFORE

Consulting, engineering + design:

Providing design consultation and refrigeration solutions to suit the required application



Detailed drawings



Experienced Staff:

The Arctic team is highly trained to understand and satisfy the customer needs



DURING

All walk-ins are pre-assembled, inspected and photographed to ensure quality and proper fit & finish.



Supportive and knowledgeable sales team:

A project coordinator assigned to each project from quotation to shipment.



AFTER

15 year panel
5 Year compressor
1 Year parts and labor



FOLLOW UP

Our customer support team is standing by should you need further assistance

ENVIRONMENTAL COMMITMENT

EISA: All Arctic products are compliant with the Energy Independence & Security Act of 2007

EC Motors: Increased refrigeration unit efficiency

Lights: All light fixtures are EISA compliant

Motion sensor available: Extends the life of light fixtures and improves energy savings

Temperature sensor: Maintaining optimal temperature within walk-in coolers & freezers

EcoNet® Enabled Refrigeration (optional): Remote refrigeration systems provided with EcoNet enabled unit coolers for increased energy efficiency



CITY OF LOS ANGELES



RESEARCH DIVISION, 60 2000

CEP#1002



Energy Independence & Security Act



Intertek (To UL Std. 471)

Intertek (To NSF 7)

Intertek 9900171

CONFORMS TO ASTM STD B84 UL STD 723

ADDITIONAL FEATURES

Patterns, colors, and vinyl coated metals:
+100 finishes available

Glass, reach-in, sliding and swing doors
A wide variety of door options are available

Reinforced wall, ceilings and floors
Adding strength to the construction

Custom ceiling heights
Adapting the walk-in cooler to the building height

Angled walls
Maximizing the space available

Door accessories
Adding visual appeal and protection to the door

High ambient & outdoor units available
Adjusting the systems to different temperature requirements

CONTACT US

Miami, Florida | 305-883-5581 - Los Angeles, California | 626-508-0920
E-mail: sales@arcticwalkins.com - Website: arcticwalkins.com

Blue Line

Walk-In Coolers and Freezers by  Arctic

Free Standard Shipping

Arctic Blue Line is our quick ship line of walk-in coolers and freezers. This product has been designed and engineered to provide customers with a quick delivery, low-cost solution to their refrigeration needs while maintaining Arctic's quality and customer service.



15 YEAR
PANEL

5 YEAR
COMPRESSOR

1 YEAR
PARTS & LABOR

WARRANTY

Industry Leading Standard



Wide Doors

34" x 78" centered, self-closing, flush mounted, foamed-in-place (compare to 26" industry standard)



Kick Plate

24" int/ext kickplate (protect your investment from cart and foot damage)



Eco-Net

Save energy in refrigeration systems through precise superheat and space temperature control

- 200+ additional models for shipment in 1 – 2 weeks
- Combination cooler/freezers available
- Special requirements for CA, OR, WA

Contact us for more details

✉ sales@arcticwalkins.com

www.arcticwalkins.com/blueline



Blue Line

COOLERS NO FLOOR

NOMINAL SIZE	REMOTE PRE-ASSEMBLED	SELF - CONTAINED	HIGH AMBIENT (REMOTE ONLY)	OUTDOOR (REMOTE ONLY)	HIGH AMBIENT + OUTDOOR (REMOTE ONLY)	ACTUAL SIZE	DOOR LOCATION
6'x6'	BL66-C-R	BL66-C-SC	BL66-C-R-H	BL66-C-R-O	BL66-C-R-HO	6'x6'x7'4"	6'
6'x8'	BL68-C-R	BL68-C-SC	BL68-C-R-H	BL68-C-R-O	BL68-C-R-HO	6'x7'11"x7'4"	6'
8'x6'	BL86-C-R	BL86-C-SC	BL86-C-R-H	BL86-C-R-O	BL86-C-R-HO	7'11"x6'x7'4"	8'
6'x10'	BL610-C-R	BL610-C-SC	BL610-C-R-H	BL610-C-R-O	BL610-C-R-HO	6'x9'10"x7'4"	6'
10'x6'	BL106-C-R	BL106-C-SC	BL106-C-R-H	BL106-C-R-O	BL106-C-R-HO	9'10"x6'x7'4"	10'
6'x12'	BL612-C-R	BL612-C-SC	BL612-C-R-H	BL612-C-R-O	BL612-C-R-HO	6'x11'9"x7'4"	6'
12'x6'	BL126-C-R	BL126-C-SC	BL126-C-R-H	BL126-C-R-O	BL126-C-R-HO	11'9"x6'x7'4"	12'
8'x8'	BL88-C-R	BL88-C-SC	BL88-C-R-H	BL88-C-R-O	BL88-C-R-HO	7'11"x7'11"x7'4"	8'
8'x10'	BL810-C-R	BL810-C-SC	BL810-C-R-H	BL810-C-R-O	BL810-C-R-HO	7'11"x9'10"x7'4"	8'
10'x8'	BL108-C-R	BL108-C-SC	BL108-C-R-H	BL108-C-R-O	BL108-C-R-HO	9'10"x7'11"x7'4"	10'
8'x12'	BL812-C-R	BL812-C-SC	BL812-C-R-H	BL812-C-R-O	BL812-C-R-HO	7'11"x11'9"x7'4"	8'
12'x8'	BL128-C-R	BL128-C-SC	BL128-C-R-H	BL128-C-R-O	BL128-C-R-HO	11'9"x7'11"x7'4"	12'
10'x10'	BL1010-C-R	BL1010-C-SC	BL1010-C-R-H	BL1010-C-R-O	BL1010-C-R-HO	9'10"x9'10"x7'4"	10'
10'x12'	BL1012-C-R	BL1012-C-SC	BL1012-C-R-H	BL1012-C-R-O	BL1012-C-R-HO	9'10"x11'9"x7'4"	10'
12'x10'	BL1210-C-R	BL1210-C-SC	BL1210-C-R-H	BL1210-C-R-O	BL1210-C-R-HO	11'9"x9'10"x7'4"	12'

COOLERS WITH FLOOR

NOMINAL SIZE	REMOTE PRE-ASSEMBLED	SELF - CONTAINED	HIGH AMBIENT (REMOTE ONLY)	OUTDOOR (REMOTE ONLY)	HIGH AMBIENT + OUTDOOR (REMOTE ONLY)	ACTUAL SIZE	DOOR LOCATION
6'x6'	BL66-CF-R	BL66-CF-SC	BL66-CF-R-H	BL66-CF-R-O	BL66-CF-R-HO	6'x6'x7'8 1/2"	6'
6'x8'	BL68-CF-R	BL68-CF-SC	BL68-CF-R-H	BL68-CF-R-O	BL68-CF-R-HO	6'x7'11"x7'8 1/2"	6'
8'x6'	BL86-CF-R	BL86-CF-SC	BL86-CF-R-H	BL86-CF-R-O	BL86-CF-R-HO	7'11"x6'x7'8 1/2"	8'
6'x10'	BL610-CF-R	BL610-CF-SC	BL610-CF-R-H	BL610-CF-R-O	BL610-CF-R-HO	6'x9'10"x7'8 1/2"	6'
10'x6'	BL106-CF-R	BL106-CF-SC	BL106-CF-R-H	BL106-CF-R-O	BL106-CF-R-HO	9'10"x6'x7'8 1/2"	10'
6'x12'	BL612-CF-R	BL612-CF-SC	BL612-CF-R-H	BL612-CF-R-O	BL612-CF-R-HO	6'x11'9"x7'8 1/2"	6'
12'x6'	BL126-CF-R	BL126-CF-SC	BL126-CF-R-H	BL126-CF-R-O	BL126-CF-R-HO	11'9"x6'x7'8 1/2"	12'
8'x8'	BL88-CF-R	BL88-CF-SC	BL88-CF-R-H	BL88-CF-R-O	BL88-CF-R-HO	7'11"x7'11"x7'8 1/2"	8'
8'x10'	BL810-CF-R	BL810-CF-SC	BL810-CF-R-H	BL810-CF-R-O	BL810-CF-R-HO	7'11"x9'10"x7'8 1/2"	8'
10'x8'	BL108-CF-R	BL108-CF-SC	BL108-CF-R-H	BL108-CF-R-O	BL108-CF-R-HO	9'10"x7'11"x7'8 1/2"	10'
8'x12'	BL812-CF-R	BL812-CF-SC	BL812-CF-R-H	BL812-CF-R-O	BL812-CF-R-HO	7'11"x11'9"x7'8 1/2"	8'
12'x8'	BL128-CF-R	BL128-CF-SC	BL128-CF-R-H	BL128-CF-R-O	BL128-CF-R-HO	11'9"x7'11"x7'8 1/2"	12'
10'x10'	BL1010-CF-R	BL1010-CF-SC	BL1010-CF-R-H	BL1010-CF-R-O	BL1010-CF-R-HO	9'10"x9'10"x7'8 1/2"	10'
10'x12'	BL1012-CF-R	BL1012-CF-SC	BL1012-CF-R-H	BL1012-CF-R-O	BL1012-CF-R-HO	9'10"x11'9"x7'8 1/2"	10'
12'x10'	BL1210-CF-R	BL1210-CF-SC	BL1210-CF-R-H	BL1210-CF-R-O	BL1210-CF-R-HO	11'9"x9'10"x7'8 1/2"	12'

FREEZERS

NOMINAL SIZE	REMOTE PRE-ASSEMBLED	SELF - CONTAINED	HIGH AMBIENT (REMOTE ONLY)	OUTDOOR (REMOTE ONLY)	HIGH AMBIENT + OUTDOOR (REMOTE ONLY)	ACTUAL SIZE	DOOR LOCATION
6'x6'	BL66-F-R	BL66-F-SC	BL66-F-R-H	BL66-F-R-O	BL66-F-R-HO	6'x6'x7'8 1/2"	6'
6'x8'	BL68-F-R	BL68-F-SC	BL68-F-R-H	BL68-F-R-O	BL68-F-R-HO	6'x7'11"x7'8 1/2"	6'
8'x6'	BL86-F-R	BL86-F-SC	BL86-F-R-H	BL86-F-R-O	BL86-F-R-HO	7'11"x6'x7'8 1/2"	8'
6'x10'	BL610-F-R	BL610-F-SC	BL610-F-R-H	BL610-F-R-O	BL610-F-R-HO	6'x9'10"x7'8 1/2"	6'
10'x6'	BL106-F-R	BL106-F-SC	BL106-F-R-H	BL106-F-R-O	BL106-F-R-HO	9'10"x6'x7'8 1/2"	10'
6'x12'	BL612-F-R	Not Available	BL612-F-R-H	BL612-F-R-O	BL612-F-R-HO	6'x11'9"x7'8 1/2"	6'
12'x6'	BL126-F-R	Not Available	BL126-F-R-H	BL126-F-R-O	BL126-F-R-HO	11'9"x6'x7'8 1/2"	12'
8'x8'	BL88-F-R	BL88-F-SC	BL88-F-R-H	BL88-F-R-O	BL88-F-R-HO	7'11"x7'11"x7'8 1/2"	8'
8'x10'	BL810-F-R	Not Available	BL810-F-R-H	BL810-F-R-O	BL810-F-R-HO	7'11"x9'10"x7'8 1/2"	8'
10'x8'	BL108-F-R	Not Available	BL108-F-R-H	BL108-F-R-O	BL108-F-R-HO	9'10"x7'11"x7'8 1/2"	10'

Blue Line Cooler/Freezer Combos

By **Arctic**
WALK-IN COOLERS AND FREEZERS

Free Standard Shipping

Arctic Blue Line Combos are our quick ship line with a cooler and a freezer combined into one unit.

This product has been designed and engineered to provide customers with a quick delivery, low-cost solution to their cooler and freezer needs while maintaining Arctic's quality and customer service.



15 YEAR
PANEL

5 YEAR
COMPRESSOR

1 YEAR
PARTS & LABOR

WARRANTY

Industry Leading Standard



Wide Doors

34" x 78" centered, self-closing, flush mounted, foamed-in-place (compare to 26" industry standard)



Kick Plate

24" int/ext kickplate (protect your investment from cart and foot damage)



Eco-Net

Save energy in refrigeration systems through precise superheat and space temperature control

Sizes range from 12x6 up to 16x10

- Cooler sections available with or without floor
- Self-contained and remote refrigeration available
 - Indoor and outdoor units available

Contact us for more details

 sales@arcticwalkins.com www.arcticwalkins.com/blueline



Blue Line Cooler/Freezer Combos

By  **Arctic**
WALK-IN COOLERS AND FREEZERS

Available on  **AutoQuotes**

COMBO COOLER/FREEZER (COOLER NO FLOOR)	COMBO COOLER/FREEZER (COOLER NO FLOOR)	OVERALL DIMENSIONS	COOLER - INTERIOR DIMENSIONS	FREEZER - INTERIOR DIMENSIONS
Blue Line Self-Contained	Blue Line Remote Pre-Assembled	Length x Width x Height	Length x Width	Length x Width
BL126 combo-C-SC	BL126 combo-C-R	11' 9" x 6' 0" x 7' 8 1/2"	5' 4 1/2" x 5' 4"	5' 4 1/2" x 5' 4"
BL146 combo-C-SC	BL146 combo-C-R	13' 8" x 6' 0" x 7' 8 1/2"	7' 3 1/2" x 5' 4"	5' 4 1/2" x 5' 4"
BL166 combo-C-SC	BL166 combo-C-R	15' 7" x 6' 0" x 7' 8 1/2"	9' 2 1/2" x 5' 4"	5' 4 1/2" x 5' 4"
BL128 combo-C-SC	BL128 combo-C-R	11' 9" x 7' 11" x 7' 8 1/2"	5' 4 1/2" x 7' 3"	5' 4 1/2" x 7' 3"
BL148 combo-C-SC	BL148 combo-C-R	13' 8" x 7' 11" x 7' 8 1/2"	7' 3 1/2" x 7' 3"	5' 4 1/2" x 7' 3"
BL168 combo-C-SC	BL168 combo-C-R	15' 7" x 7' 11" x 7' 8 1/2"	9' 2 1/2" x 7' 3"	5' 4 1/2" x 7' 3"
BL1210 combo-C-SC	BL1210 combo-C-R	11' 9" x 9' 10" x 7' 8 1/2"	5' 4 1/2" x 9' 2"	5' 4 1/2" x 9' 2"
BL1410 combo-C-SC	BL1410 combo-C-R	13' 8" x 9' 10" x 7' 8 1/2"	7' 3 1/2" x 9' 2"	5' 4 1/2" x 9' 2"
BL1610 combo-C-SC	BL1610 combo-C-R	15' 7" x 9' 10" x 7' 8 1/2"	9' 2 1/2" x 9' 2"	5' 4 1/2" x 9' 2"

COMBO COOLER/FREEZER (COOLER W/FLOOR)	COMBO COOLER/FREEZER (COOLER W/ FLOOR)	OVERALL DIMENSIONS	COOLER - INTERIOR DIMENSIONS	FREEZER - INTERIOR DIMENSIONS
Blue Line Self-Contained	Blue Line Remote Pre-Assembled	Length x Width x Height	Length x Width	Length x Width
BL126 combo-CF-SC	BL126 combo-CF-R	11' 9" x 6' 0" x 7' 8 1/2"	5' 4 1/2" x 5' 4"	5' 4 1/2" x 5' 4"
BL146 combo-CF-SC	BL146 combo-CF-R	13' 8" x 6' 0" x 7' 8 1/2"	7' 3 1/2" x 5' 4"	5' 4 1/2" x 5' 4"
BL166 combo-CF-SC	BL166 combo-CF-R	15' 7" x 6' 0" x 7' 8 1/2"	9' 2 1/2" x 5' 4"	5' 4 1/2" x 5' 4"
BL128 combo-CF-SC	BL128 combo-CF-R	11' 9" x 7' 11" x 7' 8 1/2"	5' 4 1/2" x 7' 3"	5' 4 1/2" x 7' 3"
BL148 combo-CF-SC	BL148 combo-CF-R	13' 8" x 7' 11" x 7' 8 1/2"	7' 3 1/2" x 7' 3"	5' 4 1/2" x 7' 3"
BL168 combo-CF-SC	BL168 combo-CF-R	15' 7" x 7' 11" x 7' 8 1/2"	9' 2 1/2" x 7' 3"	5' 4 1/2" x 7' 3"
BL1210 combo-CF-SC	BL1210 combo-CF-R	11' 9" x 9' 10" x 7' 8 1/2"	5' 4 1/2" x 9' 2"	5' 4 1/2" x 9' 2"
BL1410 combo-CF-SC	BL1410 combo-CF-R	13' 8" x 9' 10" x 7' 8 1/2"	7' 3 1/2" x 9' 2"	5' 4 1/2" x 9' 2"
BL1610 combo-CF-SC	BL1610 combo-CF-R	15' 7" x 9' 10" x 7' 8 1/2"	9' 2 1/2" x 9' 2"	5' 4 1/2" x 9' 2"

Accessories available on AutoQuotes:
Interior ramp, Exterior ramp, and 48" LED lights

Signature
SERIES

Arctic®
WALK-IN COOLERS AND FREEZERS



Engineering Reimagined

With over 40 years in the industry, Arctic is among the premier walk-in cooler manufacturers in the United States. Arctic Industries offers quality products at an outstanding value utilizing the finest materials and fabricated by a highly trained and experienced staff.



Energy
Independence
& Security Act



APPROVED



APPROVED



Represented by:

Intertek
(To UL Std. 471)


Intertek
(To NSF 7)

Intertek
9900171
CONFORMS TO
ASTM STD E84
UL STD 723

Panel Construction

- » 4" or 5-3/8" thick, foamed-in-place panels. Panel core is CFC free Class 1 Urethane permanently bonded to the metal skins
- » Modular design with tongue and groove construction, cam action locking devices and NSF approved wrap-around vinyl gaskets
- » High-density urethane rails to provide structural strength and durability
- » Single panel lengths up to 25'
- » Numerous metal finishes are available. Acrylume (Galvalume+), G90 galvanized, aluminum, and stainless steel in stucco embossed or smooth finish are the most common.
- » Intertek to NSF 7, UL 471, and ASTM E84 (UL 723).

Sample Metal Finishes




Colors We Offer



Door Construction

- » Frames of modular design with structural FRP in coolers and structural aluminium in freezers with digital thermometer and light switch
- » Foamed-in-place, in-fitting, self-closing, flush-mounted door plug with magnetic gasket
- » Pre-wired door sections to accommodate light fixture and heater wire (in freezers)
- » Center mounted vapor-proof light with safety night light
- » 36" high kickplates on interior and exterior of door plug (DTP or Stainless Steel)
- » Heavy-duty, self-closing, cam lift, gravity hinges machine bolted to steel backing plates to ensure maximum strength and eliminate sagging
- » Hydraulic door closer
- » Structural and seismic engineering

Available Door Options



Refrigeration

- » A comprehensive selection of refrigeration systems are available to meet the exact customer and project requirements
- » Condensing units can be air-cooled or water-cooled, in pre-assembled remote and remote configurations. Top-mount self-contained units also available
- » Evaporator coils have EC motors, are available in low profile, center mount or standard profile and can be coated for protection when required
- » Eco-Net Controller: State of the art digital controller with remote capabilities for enhanced energy efficiency, more consistent temperatures, and reduced electricity consumption

Design Features and Accessories

- » Viewing windows in walls
- » Viewports (windows) in doors
- » Reach-in glass merchandising doors
- » Reach-in solid doors
- » Sliding doors (electric or manual)
- » Bi-parting sliding doors (electric or manual)
- » Bi-parting swing doors
- » Hi-lift, vertical-lift and roll-up doors (electric or manual)
- » Doors manufactured with zero jamb clearance
- » Cooler floor panels ranging from 2" to 5-3/8"
- » Angles, notches, column wraps, cutouts and ceiling hatches
- » Foamed-in-place wall backing to support wall-mount shelving
- » Sloped ceilings integrated into panel construction
- » Single panel ceiling spans up to 25'
- » Various lighting options
- » Alarm systems
- » Reinforced floors
- » Seismic engineering




Revit

» Visit www.arcticwalkins.com/revit to download the Arctic Revit Family

Key Features

- * Optional door kickplate
- * Right/left hinge placement
- * 2 or 3-hinge door configuration
- * Multiple viewport sizes
- * 4" or 5-3/8" thick ceilings
- * 4" or 5-3/8" thick walls
- * 4" floors
- * Omni-directional combo placement
- * Interior or exterior ramps
- * Optional floors
- * Refrigeration Revit files available upon request



Resources

- » Take a virtual tour of a walk-in in 3D [here](#)
- » Watch our new assembly video for a step-by-step tutorial on how to install an Arctic walk-in [here](#)

Warranty



Signature
SERIES

Arctic Industries, Inc.

9731 NW 114th Way, Miami, FL 33178
1340 W Gladstone St, Azusa, CA 91702

sales@arcticwalkins.com
www.arcticwalkins.com

Arctic[®]
WALK-IN COOLERS AND FREEZERS