



**2018**  
EQUIPMENT CATALOGUE  
INTERNATIONAL EDITION

BEST RESULT IN THE CUP™

 **BUNN**



## **QUALITY SINCE 1840™**

**Bunn-O-Matic Corporation can trace its foundation to 175 years ago when Jacob Bunn opened his grocery store in a developing Springfield, IL USA, and a young Abe Lincoln was one of his first customers.**

**That venture grew into Bunn Capitol Wholesale Grocery Company and was later managed by George R. Bunn who founded a beverage equipment division in the late 1950's. Bunn-O-Matic Corporation was officially incorporated as a separate entity in 1963, and since that time has been at the forefront of dispensed beverage equipment manufacturers.**

**The company remains privately held and family-owned through five generations of Bunn family entrepreneurship. It has evolved from a foodservice and coffee focus to include a long list of equipment innovations in all dispensed beverages. Now often referred to simply as "BUNN," the company has become a global partner you can count on for profitability, reliability and support wherever customers are served.**



## Table of Contents

<b>Air Infusion®</b>	<b>5</b>
<b>Brewed Coffee</b>	<b>7</b>
<b>Grinders</b>	<b>32</b>
<b>Espresso &amp; Bean-to-Cup</b>	<b>39</b>
<b>Iced Tea</b>	<b>42</b>
<b>Iced Tea &amp; Coffee</b>	<b>45</b>
<b>Hot Dispensed Beverages</b>	<b>49</b>
<b>Cold Dispensed Beverages</b>	<b>52</b>
<b>Frozen Dispensed Beverages</b>	<b>57</b>
<b>Dispensed Water</b>	<b>60</b>
<b>Serving &amp; Holding</b>	<b>65</b>
<b>Parts &amp; Accessories</b>	<b>74</b>
<b>Sales   Service   Support   Contacts</b>	<b>79</b>
<b>Glossary</b>	<b>81</b>
<b>Channel Recommendation Index</b>	<b>83</b>


**DID YOU KNOW THAT WE HAVE LOCATIONS  
AROUND THE WORLD TO SERVE YOU?**




**CANADA - AURORA, ONTARIO • MEXICO - MEXICO CITY • GERMANY - BERLIN  
UNITED KINGDOM - BIRMINGHAM • BRAZIL - SÃO PAULO • CHINA - SHANGHAI  
CHINA - SHENZHEN • UAE - DUBAI**

## AGENCY SYMBOLS

 NSF International

 Electrical Testing  
Labs Sanitation

 Electrical Testing  
Labs Safety

 EurAsian  
Conformity Mark

 KOREA  
South Korea

 KSA\* Kingdom of  
Saudi Arabia

 CE Listed

 ARGENTINA  
Safety

 China Compulsory  
Certification

 UL LISTED UL Listed

 RCM

 INMETRO

 Gost

 KUCAS\* Kuwait


 ECAS\* UAE

 NOM-ANCE  
NOM



## ELECTRICAL PLUGS

  
AUSTRALIA  
CCC


  
NEMA-5-15P

  
EURO CE

  
KOREA

  
IRAM

  
UK CE

  
INMETRO

**\*For KSA, KUCAS, and ECAS equipment, please contact your BUNN sales representative**



**Air Infusion<sup>®</sup>**

# trifecta® Air Infusion®

Tech-enabled, barista-crafted single cup brewer that heightens the quality of coffee and tea

## TRIFECTA BREWING PHASES

**Wetting:** The saturation of the coffee grounds and speciality loose leaf tea can be controlled to get the percentage of water and pause appropriate for the selected varieties.

**Extraction:** Air is injected into the chamber so that the grounds are agitated using Air Infusion technology. The result: uniformity of extraction and a complex beverage that will be enjoyed by coffee and tea enthusiasts.

**Hydrolysis:** Air presses the beverage through a permanent metal screen that filters out coffee grounds or tea leaves while preserving oils and aromatics for a deep-bodied, unique flavour experience.



trifecta

SOLD SEPARATELY

## RELATED PRODUCTS

### BOOSTER

Product No: 42722.1000

### KNOCK BOX

Product No: 43245.0000

### RINSER

Product No: 43244.0000

### TEA HANDLE

Product No: 42388.1001

### ACCESSORY KIT

Product No: 42768.1000

### BREW CHAMBER

Product No: 43279.1000

### INLET HOSE

Product No: 32865.1001

### CUP ASSEMBLY

Product No: 42388.1000

DESCRIPTION		CAPACITY			ELECTRICAL						AGENCY	
Product #	Model	Dimensions Height x Width x Depth (Centimetres)			236mL cups/hour	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
41200.0001	TRIFECTA	67.89	30.20	30.15	62*	220-240	5.9-6.4	1300-1550	50/60	1	EURO	CE EAC
41200.0009	TRIFECTA	67.89	30.20	30.15	62*	220-240	5.9-6.4	1300-1550	50/60	1	UK	KSAKUCAS ECAS





**Brewed Coffee**

# Infusion Series®

Achieve a variety of flavor profiles and batch options with programmable Digital Brewer Control

## ICB

Three brew buttons for three separate brewing profiles; two programmable switches for full and half batches

Designed to brew into 2.5-3.8L airpots or 1gal and 1.5gal (3.8L and 5.7L) ThermoFresh® servers without stand



ICB



Servers sold separately; see Serving and Holding beginning page 65.

SOLD SEPARATELY

## RELATED PRODUCTS

### SINGLE/DUAL FILTER PACK

Product No: 20138.1000

### SERVERS



### INLET HOSE ASSEMBLY

Product No: 32865.1002

### LEGS

Product No: 00511.0000

DESCRIPTION				CAPACITY			ELECTRICAL					AGENCY		
Product #	Model	Finish	Funnel Type	Dimensions Height x Width x Depth (Centimetres)			236mL cups/hr	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
53100.0501	ICBA	Stainless	Black/Smart	68.10	25.40	55.90	141	220-240	11-12	2400-2900	50-60	1	UK	CE
53100.0502	ICBA	Stainless	Black/Smart	68.10	25.40	55.90	141	220-240	11-12	2400-2900	50-60	1	EURO	CE
53100.0503	ICBA	Stainless	Black/Smart	68.10	25.40	55.90	141	220-240	11-12	2400-2900	50-60	1	INMETRO	INMETRO



**NEW PRODUCT**

# Infusion Series® Soft Heat®

*The new standard in batch coffee and tea brewing with the same BUNN® dedication to the Best Result in the Cup™*

Sleek modernized design language on the brewer and servers

Three brew buttons and three batch sizes allow for multiple brewing profiles

Easy Pulse programming automatically adjusts contact time for optimal flavor profile

BrewWISE® intelligence

New 1.5gal (3.8L) Soft Heat® servers

Exclusive multi-directional lime resistant sprayhead provides the ultimate in uniformity of extraction



Infusion Series® Soft Heat®

*Servers sold separately; see Serving and Holding beginning page 65.*



## RELATED PRODUCTS

**SOLD SEPARATELY**

### SINGLE/DUAL FILTER PACK

Product No: 20138.1000



### SERVERS



### INLET HOSE ASSEMBLY

Product No: 32865.1002

DESCRIPTION				CAPACITY			ELECTRICAL					AGENCY		
Product #	Model	Finish	Funnel Type	Dimensions Height x Width x Depth (Centimetres)			236mL cups/hr	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
51100.0500	ICBA SH	Stainless	Black/Smart	83.3	30.00	59.40	163	220-240	13.2-14.1	2900-3400	50-60	1	EURO	CE



# Pourover Decanter Brewer 1 Warmer - VP17A

Ideal simple switch control office coffee service that does not require plumbing or special wiring

Space-saving design; under 45.2cm tall

SplashGard® funnel deflects hot liquids away from the hand

Pourover brewer requires no plumbing – completely portable



VP17A-1



Decanters sold separately;  
see Serving and Holding  
beginning page 65.

SOLD SEPARATELY

## RELATED PRODUCTS

### REGULAR FILTER PACK

Product No: 20115.0000



### DECANTERS



		DESCRIPTION				CAPACITY	ELECTRICAL					AGENCY	
Product #	Model	Warmers	Dimensions Height x Width x Depth (Centimetres)			236mL cups/hour	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
13300.0024	VP17A-1	1 lower	43.94	21.59	44.96	93*	220-240	9-9.9	2000-2375	50/60	1	EURO	CE
13300.0058	VP17A-1	1 lower	43.94	21.59	44.96	93*	220-240	9-9.9	2000-2375	50/60	1	No	KSA KUCAS ECAS

For additional product specifications and images visit [bunn.com](http://bunn.com).



\*Capacity based on equipment voltage of 230V 9



VP17A-2

## Pourover Decanter Brewers 2 Warmers - VP17A

*Ideal simple switch control office coffee service that does not require plumbing or special wiring*

Two separately controlled warmers

SplashGard® funnel deflects hot liquids away from the hand

Pourover brewer requires no plumbing – completely portable

Decanters sold separately;  
see *Serving and Holding*  
beginning page 65.



### RELATED PRODUCTS

SOLD SEPARATELY

#### REGULAR FILTER PACK

Product No: 20115.0000



#### DECANTERS



DESCRIPTION		CAPACITY		ELECTRICAL						AGENCY			
Model	Product #	Warmers	Dimensions Height x Width x Depth (Centimetres)			236mL cups/hr	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
13300.0015	VP17A-2	1 upper/1 lower	48.01	21.59	45.21	104*	220-240	9.5-10.4	2100-2500	50/60	1	EURO	CE
13300.0038	VP17A-2	1 upper/1 lower	48.01	21.59	45.21	96	220	9.5	2100	50/60	1	KOREA	K
13300.0041	VP17A-2	1 upper/1 lower	48.01	21.59	45.21	104*	220-240	9.5-10.4	2100-2500	50/60	1	UK	CE
13300.0053	VP17A-2	1 upper/1 lower	48.01	21.59	45.21	104	230	10	2260	50	1	IRAM	V
13300.0054	VP17A-2	1 upper/1 lower	48.01	21.59	45.21	104*	220-240	9.5-10.4	2100-2500	50/60	1	INMETRO	N INMETRO
13300.0059	VP17A-2	1 upper/1 lower	48.01	21.59	45.21	104*	220-240	9.5-10.4	2100-2500	50/60	1	No	KSA KUCAS ECAS



# Pourover Decanter Brewer

## 3 Warmers - VP17A

*Ideal simple switch control office coffee service that does not require plumbing or special wiring*

Three separately controlled warmers; two configuration options

SplashGard® funnel deflects hot liquids away from the hand

Pourover brewer requires no plumbing – completely portable



VP17A-3



VP17A-3



Decanters sold separately; see Serving and Holding beginning page 65.

SOLD SEPARATELY

### RELATED PRODUCTS

#### REGULAR FILTER PACK

Product No: 20115.0000



#### DECANTERS



#### GOURMET FILTER PACK

Product No: 20157.0001

		DESCRIPTION				CAPACITY		ELECTRICAL				AGENCY	
Product #	Model	Warmers	Dimensions Height x Width x Depth (Centimetres)			236mL cups/hr	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
13300.0020	VP17A-3	3 lower	43.94	41.66	44.96	120*	220-240	15-16	3290-3800	50/60	1	EURO	CE
13300.0028	VP17A-3	2 upper/1 lower	48.01	21.59	44.96	57	100	15	1495	50	1	NEMA	
13300.0057	VP17A-3	3 lower	43.94	41.66	44.96	120*	220-240	15-16	3290-3800	50/60	1	No	KSA KUCAS ECAS

For additional product specifications and images visit [bunn.com](http://bunn.com).



\*Capacity based on equipment voltage of 230V **11**



AXIOM-3

### REGULAR FILTER PACK

Product No: 20115.0000



### ED-17-TL

Product No: 30201.1001  
Product No: 30200.1000



### DECANTERS



### INLET HOSE ASSEMBLY

Product No: 32865.1001

Decanters sold separately;  
see Serving and Holding  
beginning page 65.



## RELATED PRODUCTS

SOLD SEPARATELY

DESCRIPTION		CAPACITY		ELECTRICAL				AGENCY						
Product #	Model	Warmers	Funnel Type	Dimensions Height x Width x Depth (Centimetres)			236mL cups/hr	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
38700.0038	AXIOM-3	2 upper/1 lower	Stainless	48.01	21.59	54.36	79*	220-240	13.2-14.4	2900-3500	50/60	1	EURO	CE
38700.0039	AXIOM-3	2 upper/1 lower	Stainless	48.01	21.59	54.36	79*	220-240	8.6-9.0	1900-2100	50/60	1	EURO	CE
38700.0004	AXIOM-3	2 upper/1 lower	Plastic	48.01	21.59	54.36	79*	220-240	8.6-9.0	1900-2100	50/60	1	EURO	CE
38700.0033	AXIOM-3	2 upper/1 lower	Plastic	48.01	21.59	54.36	79*	220-240	14.2-15.6	3200-3800	50/60	1	CCC	CCC
38700.0051	AXIOM 1/2 Batch	2 upper/1 lower	Stainless	48.01	21.59	54.36	120	200	19	3800	50/60	1	No	
38700.0055	AXIOM 1/2 Batch	2 upper/1 lower	Stainless	48.01	21.59	54.36	58	100	15	1500	50/60	1	NEMA	
38700.0064	AXIOM-3	2 upper/1 lower	Stainless	48.01	21.59	54.36	79*	220-230	9	2100	50/60	1	KOREA	KC
38700.0100	AXIOM-3	2 upper/1 lower	Stainless	48.01	21.59	54.36	80*	220-240	8.6-9.0	1900-2100	50/60	1	UK	CE
38700.0105	AXIOM-3	2 upper/1 lower	Plastic	48.01	21.59	54.36	80*	220-240	8.6-9.0	1900-2100	50/60	1	No	KC
38700.0106	AXIOM-3	2 upper/1 lower	Plastic	48.01	21.59	54.36	80*	220-240	8.6-9.0	1900-2100	50/60	1	No	KSA KUCAS ECAS
38700.0107	AXIOM-3	2 upper/1 lower	Stainless	48.01	21.59	54.36	85*	220-240	8.6-9.0	1900-2100	50/60	1	No	KSA KUCAS ECAS

Plumbing: 138-621 kPa. Machines supplied with 1/4" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.



# Automatic Airpot Brewers

Plumbed simple switch control brewing system brews directly into portable insulated servers that keep coffee at optimal flavor profile

## CWA-APS

Brew directly into 1.9 to 3L airpots

No Hot Water Faucet

Choose from black plastic, stainless or Gourmet C funnel types

## CWTFa-APS

Hot water faucet with pourover backup feature



CWTFa-APS



CWA-APS



Servers sold separately; see Serving and Holding beginning page 65.

SOLD SEPARATELY

## RELATED PRODUCTS

### REGULAR FILTER PACK

Product No: 20115.0000



### SERVERS



### EQ-17-TL

Product No: 30201.1001

Product No: 30200.1000



### INLET HOSE ASSEMBLY

Product No: 32865.1001

DESCRIPTION		CAPACITY		ELECTRICAL					AGENCY				
Product #	Model	Funnel Type	Dimensions Height x Width x Depth (Centimetres)			236mL cups/hr	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
23001.0103	CWTFa-APS	Black Plastic	59.90	22.90	47.00	60	220-240	8.6-9.5	1900-2300	50-60	1	No	KSA KUCAS
23001.0104	CWA-APS	Stainless	59.90	22.90	47.00	60	220-240	8.6-9.5	1900-2300	50-60	1	No	KSA KUCAS ECAS

Plumbing: 138-621 kPa. Machines supplied with 1/4" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.





CWTF-35A

# Automatics with Upper Warmers

*Plumbed, medium volume brewing solution with simple switch controls*

## CWTF35A

SplashGard® funnel deflects hot liquids away from the hand

Plastic or Gourmet C funnel options

## CWTFA

Hot water faucet and pourover backup on all models

Decanters sold separately; see Serving and Holding beginning page 65.



## RELATED PRODUCTS

SOLD SEPARATELY

### REGULAR FILTER PACK

Product No: 20115.0000



### DECANTERS



### GOURMET FILTER PACK

Product No: 20157.0001

### INLET HOSE ASSEMBLY

Product No: 32865.1001

### ED-17-TL

Product No: 30201.1001

Product No: 30200.1000



DESCRIPTION		CAPACITY			ELECTRICAL						AGENCY			
Product #	Model	Warmers	Funnel Type	Dimensions Height x Width x Depth (Centimetres)			236mL cups/hr	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
12950.0277	CWTF35A	2 upper/ 1 lower	Plastic	48.01	21.59	45.21	90*	220-240	14.5-15.8	3200-3800	50-60	1	EURO	CE EAC
12950.0317	CWTFA	2 upper/ 1 lower	Plastic	48.01	21.59	45.21	84-90*	220-240	8.6-9.5	1900-2300	50-60	1	EURO	CE EAC
12950.0502	CWTF35A	2 upper/ 1 lower	Gourmet C	48.01	21.59	45.21	90*	220-240	14.8-15.8	3260-3800	50/60	1	INMETRO	INMETRO
12950.0414	CWTFA	2 upper/ 1 lower	Plastic	48.01	21.59	45.21	83*	220-240	10.0-11.0	2200-2600	50/60	1	KOREA	KC
12950.0450	CWTF35A	2 upper/ 1 lower	Plastic	48.01	21.59	45.21	90*	220-240	14.5-15.8	3200-3800	50-60	1	No	KSA KUCAS ECAS
12950.0451	CWTFA	2 upper/ 1 lower	Plastic	48.01	21.59	45.21	84-90*	220-240	8.6-9.5	1900-2300	50-60	1	No	KSA KUCAS ECAS

Plumbing: 138-621 kPa. Machines supplied with 1/4" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.



# Urns

Unique urn brewer design ensures low evaporation loss

## U3 TWIN

Two spigots

Large water tank holds over 75.7L

Half-batch option



U3



Decanters sold separately; see Serving and Holding beginning page 65.

SOLD SEPARATELY

## RELATED PRODUCTS

### URN FILTER PACK

Product No: 20109.0000



### EQHP-10

Product No: 39000.0004



### EQHP-10L (U3)

Product No: 39000.0001



### EQHP-25

Product No: 39000.0005




### EQHP-25L

Product No: 39000.0002



### DRIP TRAY (U3)

Product No: 07284.0000



### DECANTERS



### INLET HOSE ASSEMBLY

Product No: 32865.1002

DESCRIPTION		DIMENSIONS			CAPACITY	ELECTRICAL					AGENCY		
Product #	Model	Funnel Type	Height	Width	Depth	236mL cups/hr	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
20500.0016	U3A	Plastic	82.30	87.63	53.34	278	220-240	26.4-28.6	5800-6850	50/60	1	No	CE

Plumbing: 138-621 kPa. Machines supplied with 3/8" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.





Single TF DBC  
Stainless

# ThermoFresh® BrewWISE® DBC® Single®

TF brewers use Digital Brewer Control with insulated ThermoFresh servers that hold beverages at optimum flavour profile without requiring the energy consumption of traditional warming plates

Three variable batch sizes

SplashGard® funnel and funnel locks help improve safety

BrewWISE intelligence means compatible grinders and a Smart Funnel® can be programmed one time to manage repeated brewing cycles from start to finish

Stores individual coffee recipes so operator can easily brew many varieties

Servers sold separately;  
see *Serving and Holding*  
beginning page 65.



## RELATED PRODUCTS

SOLD SEPARATELY

### SINGLE/DUAL FILTER PACK

Product No: 20138.1000



### EQHP-10

Product No: 39000.0004



### BREWWISE RECIPE CARD

Product No: 34447.0000

### EQHP-10L

Product No: 39000.0001

### SERVERS AND STANDS

### INLET HOSE ASSEMBLY

Product No: 32865.1002



### BREWWISE RECIPE WRITER

Product No: 34444.0001



DESCRIPTION		CAPACITY			ELECTRICAL					AGENCY				
Product #	Model	Finish	Funnel Type	Dimensions Height x Width x Depth (Centimetres)			236mL cups/hr	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
34800.0009	Single TF DBC	Black	Smart	90.68	30.73	48.77	140-182*	220-240	14.5-15.7	3180-3780	50/60	1	EURO	CE (NSF) EAC
34800.0012	Single TF DBC	Stainless	Smart	90.68	30.73	48.77	140-182*	220-240	14.5-15.7	3180-3780	50/60	1	EURO	CE (NSF) EAC
34800.0016	Single TF DBC	Stainless	Smart	90.68	30.73	48.77	169	200	18.5	3700	60	1	No	(NSF) (UL) LISTED
34800.0032	Single TF DBC	Black	Smart	90.68	30.73	48.77	140-182*	220-240	14.5-15.7	3180-3780	50/60	1	No	CE
34800.0033	Single TF DBC	Stainless	Smart	90.68	30.73	48.77	140-182*	220-240	14.5-15.7	3180-3780	50/60	1	No	CE
34800.0034	Single TF DBC	Black	Smart	90.68	30.73	48.77	140-182*	220-240	14.5-15.7	3180-3780	50/60	1	No	KSA KUCAS ECAS
34800.0035	Single TF DBC	Stainless	Smart	90.68	30.73	48.77	140-182*	220-240	14.5-15.7	3180-3780	50/60	1	No	KSA KUCAS ECAS
34800.0036	Single TF DBC	Stainless	Smart	90.68	30.73	48.77	172*	220-240	14.5-15.7	3180-3700	50/60	1	KOREA	KC

Plumbing: 138-621 kPa. Machines supplied with 3/8" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.



# ThermoFresh® BrewWISE® DBC® Dual

TF brewers use Digital Brewer Control with insulated ThermoFresh servers that hold beverages at optimum flavour profile without requiring the energy consumption of traditional warming plates

Brews 61.7 to 71.5L of coffee per hour

Three variable batch sizes

BrewWISE intelligence means compatible grinders and a Smart Funnel® can be programmed one time to manage repeated brewing cycles from start to finish

Stores individual coffee recipes so operator can easily brew many varieties



Dual TF DBC



Servers sold separately; see Serving and Holding beginning page 65.

**SOLD SEPARATELY**

## RELATED PRODUCTS

### SINGLE/DUAL FILTER PACK

Product No: 20138.1000



### EQHP-10

Product No: 39000.0004



### BREWWISE RECIPE CARD

Product No: 34447.0000



### EQHP-10L

Product No: 39000.0001

### SERVERS AND STANDS

### INLET HOSE ASSEMBLY

Product No: 32865.1002



### BREWWISE RECIPE WRITER

Product No: 34444.0001



		DESCRIPTION					CAPACITY	ELECTRICAL					AGENCY	
Product #	Model	Finish	Funnel Type	Dimensions Height x Width x Depth (Centimetres)			236mL cups/hr	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
34600.0011	Dual TF DBC	Stainless	Smart	90.68	55.37	51.31	302*	220-240	27-29.5	6000-7100	50/60	1	No	CE EAC
34600.0013	Dual TF DBC	Stainless	Smart	90.68	55.37	51.31	260	200	26.5	5300	60	1	No	UL LISTED NSF
34600.0015	Dual TF DBC	Black	Smart	90.68	55.37	51.31	302*	220-240	27-29.5	6000-7100	50/60	1	No	CE EAC
34600.0020	Dual TF DBC	Stainless	Smart	90.68	55.37	51.31	276 414	230 400	33.5 16	8000 11125	50/60	1 3	No	CE EAC
34600.0038	Dual TF DBC	Stainless	Smart	90.68	55.37	51.31	260	200	26.5	5300	60	1	No	UL LISTED NSF
34600.0042	Dual TF DBC	Black	Stainless	90.68	55.37	51.31	260	220-240	27-29.5	6000-7100	50/60	1	No	KSA KUCAS ECAS

Plumbing: 138-621 kPa. Machines supplied with 3/8" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.





ICBA

# Infusion Series® BrewWISE® DBC® Coffee

Achieve a variety of flavour profiles and batch options with programmable Digital Brewer Control

## ICBA

Three brew buttons for three separate brewing profiles; two programmable switches for full and half batches

BrewWISE intelligence means compatible grinders and a Smart Funnel® can be programmed one time to manage repeated brewing cycles from start to finish

## ICBA TWIN

Double the options for brewing profiles and batch control

Large 21.2L tank provides back-to-back brewing capacity



ICBA Twin



ICBA Tall

Servers sold separately; see Serving and Holding beginning page 65.



## RELATED PRODUCTS

SOLD SEPARATELY

### SINGLE/DUAL FILTER PACK

Product No: 20138.1000



### EQHP-10

Product No: 39000.0004



### EQHP-10L

Product No: 39000.0001

### INLET HOSE ASSEMBLY

Product No: 32865.1002

### SERVERS



### LEGS

Product No: 00511.0000

DESCRIPTION				CAPACITY			ELECTRICAL					AGENCY		
Product #	Model	Finish	Funnel Type	Dimensions Height x Width x Depth (Centimetres)			236mL cups/hr	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
36600.0001	ICBA	Stainless	Smart	66.50	25.40	50.50	149*	220-240	11-12	2400-2900	50/60	1	EURO	CE EAC
36600.0003	ICBA	Stainless	Smart	66.50	25.40	50.50	149*	220-240	11-12	2400-2900	50/60	1	INMETRO	INMETRO
36600.0017	ICBA	Stainless	Smart	66.50	25.40	50.50	149*	220-240	11-12	2400-2900	50/60	1	UK	CE
36600.0018	ICBA	Stainless	Smart	66.50	25.40	50.50	149*	220-240	11-12	2400-2900	50/60	1	No	
36600.0013	ICBA	Black	Smart	66.50	25.40	50.50	149	230	14	3200	50/60	1	IRAM	IRAM
36600.0020	ICBA Tall	Stainless	Smart	87.00	25.40	50.50	149	220-240	11-12	2400-2900	50/60	1	EURO	CE
36600.0021	ICBA	Stainless	Smart	66.50	25.40	50.50	149*	220-240	11-12	2400-2900	50/60	1	No	KSA KUCAS ECAS
37600.0008	ICBA TWIN	Stainless	Smart	57.40	51.10	57.40	280*	220-240	24.8-27.1	5400-6500	50/60	1	No	CE

Plumbing: 138-621 kPa. Machines supplied with 3/8" hose thread adapter and fitting. All plumbed models that are CE listed feature backflow prevention.







AXIOM-APS

# AXIOM® DBC® Airpot

Medium volume brewing solution featuring Digital Brewer Control for precise extraction control

Brew directly into 1.9 - 3.0L airpots

Programmable Energy Saver Mode reduces operating cost during idle periods

Thinsulate® tank insulation provides increased energy efficiency

Cold brew lock-out and automatic warmer time-out ensure high quality, fresh tasting coffee

Front of machine programming simplifies installation

Servers sold separately; see Serving and Holding beginning page 65.



## RELATED PRODUCTS

SOLD SEPARATELY

### REGULAR FILTER PACK

Product No: 20115.0000



### GOURMET FILTER PACK

Product No: 20157.0001

### GOURMET C FUNNEL

Product No: 34559.0000



### ED-17-TL

Product No: 30201.1001

Product No: 30200.1000



### INLET HOSE ASSEMBLY

Product No: 32865.1001

### AIRPOTS



DESCRIPTION		CAPACITY		ELECTRICAL						AGENCY			
Product #	Model	Funnel Type	Dimensions Height x Width x Depth (Centimetres)			236mL cups/hr	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
38700.0037	AXIOM-APS	Black Plastic	59.94	22.86	46.99	90*	220-240	12.5-13.6	2750-3275	50/60	1	EURO	CE EAC
38700.0074	AXIOM-APS	Black Plastic	59.94	22.86	46.99	90*	220-240	12.5-13.6	2750-3275	50/60	1	CCC	CCC

Plumbing: 138-621 kPa. Machines supplied with 3/8" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.



# CW Airpot

Simple switch controls and flexible server options

## CWTFA

Brew directly into 1.9 to 3.0L airpots

Hot water faucet with pourover backup feature

Digital timer enables users to make cycle adjustments from front panel

## CWA

CWA models are pourover only

Gourmet funnel available for use with heavier throw weights of coffee



CWFA-APS



Servers sold separately; see Serving and Holding beginning page 65.

SOLD SEPARATELY

## RELATED PRODUCTS

### REGULAR FILTER PACK

Product No: 20115.0000



### ED-17-TL

Product No: 30201.1001

Product No: 30200.1000



### GOURMET FILTER PACK

Product No: 20157.0001

### GOURMET C FUNNEL

Product No: 34559.0000



### INLET HOSE ASSEMBLY

Product No: 32865.1001

DESCRIPTION			CAPACITY			ELECTRICAL					AGENCY		
Product #	Model	Funnel Type	Dimensions Height x Width x Depth (Centimetres)			236mL cups/hr	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
<b>POUROVER - NO FAUCET</b>													
23001.0024	CWA-APS	Black Plastic	59.94	22.86	46.99	84-90*	220-240	8.6-9.5	1900-2300	50/60	1	EURO	CE EAC
23001.0064	CWA-APS	Black Plastic	59.94	22.86	46.99	98*	220-240	8.6-9.5	1900-2300	50/60	1	KOREA	KC
23001.0074	CWA-APS Master On/Off	Black Plastic	59.94	22.86	46.99	84-90*	220-240	8.6-9.5	1900-2300	50/60	1	UK	CE
23001.0093	CWA-APS	Black Plastic	59.94	22.86	46.99	92	230	9	2075	50	1	IRAM	IRAM
23001.0094	CWA-APS	Gourmet Funnel	59.94	22.86	46.99	84-90*	220-240	8.6-9.5	1900-2300	50/60	1	INMETRO	INMETRO
<b>AUTOMATIC - WITH FAUCET</b>													
23001.0019	CWTFA35-APS	Black Plastic	59.94	22.86	46.99	90*	220-240	14.5-15.8	3200-3800	50/60	1	EURO	CE EAC
23001.0021	CWTFA-APS	Black Plastic	59.94	22.86	46.99	84-90*	220-240	8.6-9.5	1900-2300	50/60	1	EURO	CE EAC
23001.0099	CWTFA35-APS	Black Plastic	59.94	22.86	46.99	90*	220-240	14.5-15.8	3200-3800	50/60	1	No	CE
23001.0098	CWTFA-APS	Black Plastic	59.94	22.86	46.99	84-90*	220-240	8.6-9.5	1900-2300	50/60	1	UK	CE
23001.0100	CWTFA35-APS	Black Plastic	59.94	22.86	46.99	90*	220-240	14.5-15.8	3200-3800	50-60	1	No	KSA KUCAS ECAS

Plumbing: 138-621 kPa. Machines supplied with 1/4" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.





CWTF A-TC

## Thermal Carafe

Brew directly into portable insulated servers that keep coffee at optimal flavour profile

Accepts thermal carafe up to 21.6cm

Use in quick-turn environment where high quality coffee is continuously refreshed

Simple switch controls

### CWA-TC

Pourover brewer requires no plumbing – completely portable

### CWTF A-TC

Hot water faucet and pourover backup feature



CWA-TC

Servers sold separately; see *Serving and Holding* beginning page 65.



## RELATED PRODUCTS

SOLD SEPARATELY

### REGULAR FILTER PACK

Product No: 20115.0000



### ED-17-TL

Product No: 30201.1001

Product No: 30200.1000



### CARAFES



### INLET HOSE ASSEMBLY

Product No: 32865.1001

DESCRIPTION			CAPACITY			ELECTRICAL					AGENCY		
Product #	Model	Funnel Type	Dimensions Height x Width x Depth (Centimetres)			236mL cups/hr	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
<b>POUROVER - NO FAUCET</b>													
23001.0067	CWA-TC	Black Plastic	45.47	22.86	46.99	83*	220-240	8.6-9.5	1900-2300	50/60	1	UK	CE
23001.0105	CWA-TC	Black Plastic	45.47	22.86	46.99	83*	220-240	8.6-9.5	1900-2300	50/60	1	EURO	CE
<b>AUTOMATIC - WITH FAUCET</b>													
12950.0362	CWTF A-TC	Black Plastic	45.47	22.86	46.99	83*	220-240	8.6-9.5	1900-2300	50/60	1	EURO	CE EAC

Plumbing: 138-621 kPa. Machines supplied with 1/4" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.



# Soft Heat® BrewWISE® DBC® Single

BUNN exclusive technology automatically manages heat in the server docking system

Brews 1.9, 3.8 or 5.7L batches

Brews up to 43.2L per hour with three variable batch sizes

Instant power contact with docking station; server can be set to 79.4°– 87.8°C

Metric volume and Celsius temperature settings

BrewWISE intelligence means compatible grinders and a Smart Funnel® can be programmed one time to manage repeated brewing cycles from start to finish



Single SH DBC

 Servers sold separately; see *Serving and Holding* beginning page 65.

SOLD SEPARATELY

## RELATED PRODUCTS

### SINGLE/DUAL FILTER PACK

Product No: 20138.1000



### EQHP-10

Product No: 39000.0004



### ONE POSITION DRIP TRAY (SINGLE/SINGLE SH)

Product No: 26830.0000



### EQHP-10L

Product No: 39000.0001

### INLET HOSE ASSEMBLY

Product No: 32865.1001

## SERVERS AND STANDS

### BREWWISE RECIPE CARD

Product No: 34447.0000



### BREWWISE RECIPE WRITER

Product No: 34444.0001



DESCRIPTION			CAPACITY			ELECTRICAL					AGENCY		
Product #	Model	Funnel Type	Dimensions Height x Width x Depth (Centimetres)			236mL cups/hr	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
33600.0003	SINGLE SH DBC	Smart	90.93	23.62	58.67	171*	220-240	14.5-15.7	3180-3780	50/60	1	EURO	CE ENEC NSF
33600.0005	SINGLE SH DBC	Smart	90.93	23.62	58.67	171	200	19	3800	50/60	1	No	
33600.0006	SINGLE SH DBC	Smart	90.93	23.62	58.67	169	230	19	4400	50/60	1	No	CE
33600.0012	SINGLE SH DBC	Stain- less	90.93	23.62	58.67	157	220	12.7	2800	60	1	KOREA	NSF
33600.0027	SINGLE SH DBC	Smart	90.93	23.62	58.67	171*	220-240	14.5-15.7	3180-3780	50/60	1	INMETRO	INMETRO
33600.0035	SINGLE SH DBC	Smart	90.93	23.62	58.67	171*	220-240	14.5-15.7	3180-3780	50/60	1	No	KSA KUCAS

Plumbing: 138-621 kPa. Machines supplied with 1/4" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.





Dual SH DBC

# Soft Heat® BrewWISE® DBC® Dual

*BUNN exclusive technology automatically manages heat in the server docking system*

Brews up to 71.5L per hour with three variable batch sizes

Instant power contact with docking station; server can be set to 79.4°–87.8°C

Metric volume and Celsius temperature settings

BrewWISE intelligence means compatible grinders and a Smart Funnel® can be programmed one time to manage repeated brewing cycles from start to finish

Servers sold separately; see *Serving and Holding* beginning page 65.



## RELATED PRODUCTS

SOLD SEPARATELY

### SINGLE/DUAL FILTER PACK

Product No: 20138.1000



### EQHP-10

Product No: 39000.0004



### EQHP-10L

Product No: 39000.0001

### INLET HOSE ASSEMBLY

Product No: 32865.1001

### BREWWISE RECIPE WRITER

Product No: 34444.0001



### BREWWISE RECIPE CARD

Product No: 34447.0000



### DUAL POSITION DRIP TRAY (DUAL/DUAL SH)

Product No: 27150.0000



### SERVERS AND STANDS



DESCRIPTION			CAPACITY			ELECTRICAL					AGENCY		
Product #	Model	Funnel Type	Dimensions Height x Width x Depth (Centimetres)			236mL cups/hr	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
33500.0008	Dual SH DBC	Smart	90.93	45.72	53.85	302*	220-240	27-29.5	6000-7100	50/60	1	No	CE ENEC
33500.0014	Dual SH DBC	Smart	90.93	45.72	53.85	302	200	28	5600	50/60	1	No	

Plumbing: 138-621 kPa. Machines supplied with 1/4" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.



# Soft Heat® Automatic Single

BUNN exclusive technology automatically manages heat in the server docking system

Variable batch selector knob allows 1.9, 3.8 or 5.7L batches

Brews up to 40.1L per hour

Instant power contact with docking station

Simple switch control



Single SH



Servers sold separately; see *Serving and Holding* beginning page 65.

SOLD SEPARATELY

## RELATED PRODUCTS

### SINGLE/DUAL FILTER PACK

Product No: 20138.1000



### EQHP-10

Product No: 39000.0004



### ONE POSITION DRIP TRAY (SINGLE/SINGLE SH)

Product No: 26830.0000



### EQHP-10L

Product No: 39000.0001

### INLET HOSE ASSEMBLY

Product No: 32865.1001

### SERVERS AND STANDS



DESCRIPTION		CAPACITY		ELECTRICAL				AGENCY					
Product #	Model	Funnel Type	Dimensions Height x Width x Depth (Centimetres)			236mL cups/hr	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
27800.0006	SINGLE SH	Stainless	90.93	23.62	50.80	139*	220-240	12.7-13.8	2800-3300	50-60	1	EURO	CE
27800.0025	SINGLE SH	Stainless	90.93	23.62	50.80	139*	220-240	12.7-13.8	2800-3300	50-60	1	No	KSA KUCAS

Plumbing: 138-621 kPa. Machines supplied with 1/4" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.





Dual SH

# Soft Heat® Automatic Dual

*BUNN exclusive technology automatically manages heat in the server docking system*

Variable batch selector knob allows 1.9, 3.8 or 5.7L batches

Brews up to 61.7L per hour

Instant power contact with docking station

Simple switch control

Servers sold separately; see *Serving and Holding* beginning page 65.



## RELATED PRODUCTS

SOLD SEPARATELY

### SINGLE/DUAL FILTER PACK

Product No: 20138.1000



### EQHP-10

Product No: 39000.0004



### EQHP-10L

Product No: 39000.0001

### INLET HOSE ASSEMBLY

Product No: 32865.1001

### DUAL POSITION DRIP TRAY (DUAL/DUAL SH)

Product No: 27150.0000



### SERVERS AND STANDS



DESCRIPTION			CAPACITY			ELECTRICAL					AGENCY		
Product #	Model	Funnel Type	Dimensions Height x Width x Depth (Centimetres)			236mL cups/hr	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
27900.0037	Dual SH	Stainless	90.93	45.72	52.07	284*	220-230	25.5-26.9	5600-6200	50-60	1	No	

Plumbing: 138-621 kPa. Machines supplied with 1/4" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.



# GPR Automatic Single®

GPR brewer design features a warmer stand, and a 5.7L portable reservoir is included with each model

Simple switch control

Brews 19.3 - 43.2L per hour with three variable batch sizes

Hot water faucet



GPR Single®

## SOLD SEPARATELY RELATED PRODUCTS

### SINGLE/DUAL FILTER PACK

Product No: 20138.1000



### EQHP-10

Product No: 39000.0004



### EQHP-10L

Product No: 39000.0001

### INLET HOSE ASSEMBLY

Product No: 32865.1001

### ONE POSITION DRIP TRAY (SINGLE/SINGLE SH)

Product No: 26830.0000



### SERVERS AND STANDS



DESCRIPTION		CAPACITY				ELECTRICAL					AGENCY		
Product #	Model	Funnel Type	Dimensions Height x Width x Depth (Centimetres)			236mL cups/hr	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
23050.0049	SINGLE	Stainless	74.42	23.50	48.26	141.2*	220-240	12.7-13.8	2800-3300	50-60	1	EURO	CE
23050.0047	SINGLE	Stainless	74.42	23.50	48.26	173.2	200	19.3	3850	50	1	No	

Plumbing: 138-621 kPa. Machines supplied with 1/4" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.





GPR Dual®

## GPR Automatic Dual®

GPR brewer design features a warmer stand, and two 5.7L portable reservoirs are included with each model

Simple switch control

Brews 61.7 to 71.5L per hour with three variable batch sizes

Hot water faucet

### RELATED PRODUCTS

#### SINGLE/DUAL FILTER PACK

Product No: 20138.1000



#### EQHP-10

Product No: 39000.0004



#### EQHP-10L

Product No: 39000.0001

#### INLET HOSE ASSEMBLY

Product No: 32865.1001

SOLD SEPARATELY


#### SERVERS AND STANDS



#### DUAL POSITION DRIP TRAY (DUAL/DUAL SH)

Product No: 27150.0000



DESCRIPTION			CAPACITY			ELECTRICAL					AGENCY		
Product #	Model	Funnel Type	Dimensions Height x Width x Depth (Centimetres)			236mL cups/hr	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
20900.0084	DUAL	Stainless	74.42	45.72	49.02	276	220-230	25.5-26.9	5600-6200	50/60	1	No	
20900.0063	DUAL	Stainless	74.42	45.72	49.02	276*	220-240	25.4-27.6	5600-6600	50/60	1	No	<b>KSA KUCAS</b>

Plumbing: 138-621 kPa. Machines supplied with 1/4" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.



# Titan® DBC® Single

High volume solution using fresh ground coffee and featuring Digital Brewer Control

Coffee extraction controlled with pre-infusion and pulse brew, digital temperature control, and large sprayhead; variable bypass controls coffee strength

BrewMETER® allows automatic programming of pulse routine

Funnel has 0.8kg capacity and paper filter retainers to eliminate fold-over

## TITAN TF SERVER

11.36L capacity

Insulated and portable; brew-thru lids

Large cup clearance for a variety of dispensing options



Titan TF Server



Titan DBC Single



Servers sold separately; see Serving and Holding beginning page 65.

SOLD SEPARATELY

## RELATED PRODUCTS

### SINGLE/DUAL FILTER PACK

Product No: 20111.0000



### TITAN FUNNEL

Product No: 40114.0000



### INLET HOSE ASSEMBLY

Product No: 32865.1002

### EQHP-54

Product No: 39000.0004



### EQHP-54L

Product No: 39000.0010

### FLAVOUR LABEL

Product No: 41745.1000

DESCRIPTION		CAPACITY		ELECTRICAL					AGENCY				
Product #	Model	Funnel Type	Dimensions Height x Width x Depth (Centimetres)			236mL cups/hr	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
39300.0002	TITAN SINGLE	Stainless	101.65	54.10	55.22	503	400	16	11125	50-60	3	No	CE
						307-366*	220-240	28-33	6200-8000	50-60	1		
39300.0004	TITAN SINGLE	Stainless	101.65	54.10	55.22	503	400	16	11125	50/60	3	No	IMETRO
39400.0001	TITAN SERVER	Stainless	60.20	34.80	43.43								NSF

Plumbing: 138-621 kPa. Machines supplied with 3/8" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.





Titan DBC Dual

## Titan® DBC® Dual

High volume solution using fresh ground coffee and featuring Digital Brewer Control

Increased brewing capacity

Coffee extraction controlled with pre-infusion and pulse brew, digital temperature control, and large sprayhead; variable bypass controls coffee strength

BrewMETER® allows automatic programming of pulse routine

Funnel has 0.8kg capacity and paper filter retainers to eliminate fold-over

### TITAN TF SERVER

11.36L capacity

Insulated and portable

Large cup clearance for a variety of dispensing options



Titan TF Server

Servers sold separately; see Serving and Holding beginning page 65.



## RELATED PRODUCTS

SOLD SEPARATELY

### SINGLE/DUAL FILTER PACK

Product No: 20111.0000



### TITAN FUNNEL

Product No: 40114.0000



### INLET HOSE ASSEMBLY

Product No: 32865.1002

### EQHP-54

Product No: 39000.0004



### EQHP-54L

Product No: 39000.0010

### FLAVOUR LABEL

Product No: 41745.1000

DESCRIPTION			CAPACITY			ELECTRICAL					AGENCY		
Product #	Model	Funnel Type	Dimensions Height x Width x Depth (Centimetres)			236mL cups/hr	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
39200.0002	TITAN DUAL	Stainless	101.65	90.50	55.22	503	400	16	11125	50-60	3	No	CE
						307-366*	220-240	28-33	6200-8000	50-60	1		
39200.0006	TITAN DUAL	Stainless	101.65	90.50	55.22	503	400	16	11125	50/60	3	No	INMETEC
39400.0001	TITAN SERVER	Stainless	60.20	34.80	43.43								NSF

Plumbing: 138-621 kPa. Machines supplied with 3/8" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.





# Grinders



MHGA

# Multi-Hopper BrewWISE® DBC® and Storage System

*An intuitive, portion-controlled coffee grinding system that handles multiple bean varieties*

Portion-controlled for the right amount of coffee every time, with 3 batch sizes per hopper

Convenient front-loading hoppers are easy to clean and store individual coffee grind weight profiles

Choice of black or stainless finish

## BREWWISE® INTELLIGENCE MEANS THE SMART FUNNEL® MANAGES THE GRINDING AND BREWING PROCESS FROM START TO FINISH:

Grinder adjusts the grind time for each batch to deliver just the right grind volumes

Grinder communicates coffee weight to the Smart Funnel during grinding process

BrewWISE brewer reads the information in the Smart Funnel, adjusts the recipe, and brews a flavorful batch of coffee

## RACK AND HOPPER

Store and display coffee varieties and promote fresh ground coffee program

Hoppers with locking lids serve as storage containers when not in the grinder (*lock for lids sold separately*)

*Funnels sold separately; see Parts and Accessories beginning page 76.*



## RELATED PRODUCTS

SOLD SEPARATELY

### 2 POSITION RACK

Product No: 36760.0000

### HOPPER/LID ASSEMBLY

Product No: 36845.0000

### BREWWISE RECIPE WRITER

Product No: 34444.0001

### 4 POSITION RACK

Product No: 36760.0001

### HOPPER PARTITION

Product No: 36053.0000

### BREWWISE RECIPE CARD

Product No: 34447.0000

DESCRIPTION			CAPACITY			ELECTRICAL					AGENCY			
Product #	Model	Finish	Dimensions Height x Width x Depth (Centimetres)			Number of Hoppers	Kg per Hopper	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
35600.0021	MHGA	Stainless	73.91	23.77	45.72	2	2.72	220-240	6.5	920	50/60	1	Euro	CE EAC
35600.0137	MHGA	Stainless	73.91	23.77	45.72	2	2.72	220-240	6.5	920	50/60	1	UK	CE
35600.0140	MHGA	Stainless	73.91	23.77	45.72	2	2.72	230	4	920	50/60	1	CCC	CCC
35600.0025	MHG	Stainless	73.91	23.77	45.72	2	2.72	100	9	900	50	1	NEMA	
35600.0028	MHGB	Stainless	73.91	23.77	45.72	2	2.72	100	9	900	60	1	NEMA	
35600.0023	MHGA	Black	73.91	23.77	45.72	2	2.72	220-240	6.5	920	50/60	1	Euro	CE EAC
35600.0037	MHGA	Black	73.91	23.77	45.72	2	2.72	220-240	6.5	920	50/60	1	UK	CE
35600.0035	MHGA	Black	73.91	23.77	45.72	2	2.72	220-240	6.5	920	50/60	1	INMETRO	INMETRO



# Weight Driven BrewWISE® DBC®

Weight-based, portion-control for the right amount of coffee every time with three batch sizes

Unparalleled grind weight accuracy

Front-loading, removable hopper is easy to clean

Tall design accommodates large brew funnels

## BREWWISE® INTELLIGENCE MEANS THE SMART FUNNEL® MANAGES THE GRINDING AND BREWING PROCESS FROM START TO FINISH:

Grinder communicates coffee weight to the Smart Funnel during the grinding process

BrewWISE brewer reads the information in the Smart Funnel, adjusts the recipe, and brews a flavorful batch of coffee



G9WD-RH



Funnels sold separately; see Parts and Accessories beginning page 76.

SOLD SEPARATELY

## RELATED PRODUCTS

### 2 POSITION RACK

Product No: 36760.0000



### 4 POSITION RACK

Product No: 36760.0001



### HOPPER/LID ASSEMBLY

Product No: 36845.0000



### HOPPER PARTITION

Product No: 36053.0000

### BREWWISE RECIPE WRITER

Product No: 34444.0001



### BREWWISE RECIPE CARD

Product No: 34447.0000



DESCRIPTION						CAPACITY		ELECTRICAL					AGENCY	
Product #	Model	Finish	Dimensions Height x Width x Depth (Centimetres)			Number of Hoppers	Kg per Hopper	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
40700.0132	G9WD-RH	Stainless	75.69	20.68	48.26	1	2.72	220-240	6.5	920	50	1	EURO	CE EAC
40700.0137	G9WD-RH	Stainless	75.69	20.68	48.26	1	2.72	220-240	6.5	920	50	1	UK	CE
40700.0006	G9WD-RH	Stainless	75.69	20.68	48.26	1	2.72	220-240	6.5	920	50	1	UK	KSA KUCAS ECAS





G9-2TA DBC

## Portion Control BrewWISE® DBC®

Portion controlled for the right amount of coffee every time, with three batch sizes per hopper

Two hoppers hold 2.7kg each of regular, decaf or specialty coffee beans

Three batch sizes per hopper, with individual grind profiles

Compatible with BrewWISE TF, SG, ICB

### BREWWISE® INTELLIGENCE MEANS THE SMART FUNNEL® MANAGES THE GRINDING AND BREWING PROCESS FROM START TO FINISH:

Grinder adjusts the grind time for each batch to deliver just the right grind volumes

Grinder communicates coffee weight to the Smart Funnel during the grinding process

BrewWISE brewer reads the information in the Smart Funnel, adjusts the recipe, and brews a flavorful batch of coffee

Funnels sold separately; see Parts and Accessories beginning page 76.



DESCRIPTION						CAPACITY		ELECTRICAL					AGENCY	
Product #	Model	Finish	Dimensions Height x Width x Depth (Centimetres)			Number of Hoppers	Kg per Hopper	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
33700.0007	G9-2TB DBC	Stainless	68.83	21.08	45.72	2	2.72	100	9.4	940	50	1	NEMA	
33700.0132	G9-2TA DBC	Stainless	68.83	21.08	45.72	2	2.72	220-240	6.5	920	50/60	1	EURO	CE EAC
33700.0133	G9-2TA DBC	Stainless	68.83	21.08	45.72	2	2.72	220-240	6.5	920	50	1	UK	KUCAS
33700.0134	G9-2TA DBC	Stainless	68.83	21.08	45.72	2	2.72	220-240	6.5	920	60	1	UK	KSA
33700.0137	G9-2TA DBC	Stainless	68.83	21.08	45.72	2	2.72	220-240	6.5	920	50/60	1	UK	CE
33700.0035	G9-2TA DBC	Stainless	68.83	21.08	45.72	2	2.72	220-240	6.5	920	50/60	1	INMETRO	INMETRO



# Automatic Low Profile Portion Control

Coffee grinding systems with simple switch control operation

Low profile height and narrow footprint conserves countertop space

Large, clear bean hopper merchandises 2.72kg of fresh coffee beans

Easy access on back for grind weight adjustment

Compatible with VP, CW, Axiom



LPGA



Funnels sold separately;  
see Parts and Accessories  
beginning page 76.

DESCRIPTION			CAPACITY		ELECTRICAL						AGENCY			
Product #	Model	Finish	Dimensions Height x Width x Depth (Centimetres)			Number of Hoppers	Kg per Hopper	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
20580.0121	LPGA	Stainless	38.35	21.95	25.40	1	2.72	230	1.5	360	50	1	IRAM	
20580.0132	LPGA	Stainless	38.35	21.95	25.40	1	2.72	220-240	1.5	330-360	50/60	1	EURO	
20580.0133	LPGA	Stainless	38.35	21.95	25.40	1	2.72	220-240	1.5	330-360	50/60	1	UK	
20580.0137	LPGA	Stainless	38.35	21.95	25.40	1	2.72	220-240	1.5	330-360	50/60	1	UK	





FPG-2 DBC

## French Press Portion Control

*Portion controlled for the right amount of coffee every time, with three batch sizes per hopper*

Accommodates up to 20.3cm tall cafetière or funnel for drip-style brewer

Multi-batch setting allows users to specify a French press brew size or grind enough coffee into a funnel to brew larger amounts of drip-style coffee

Compatible with VP, CW, Axiom, WAVE

### FPG-2 DBC

Two hoppers hold 1.36kg each of regular and decaf or speciality beans

Digital touch pad for front-of-machine programming and LCD readout

### FPGA

One hopper holds 2.72kg of regular, decaf, or speciality beans

Accommodates Gourmet C funnel for heavier throw weights of coffee



FPGA

*French press for display purposes only, not available for purchase*



DESCRIPTION						CAPACITY		ELECTRICAL					AGENCY	
Product #	Model	Finish	Dimensions Height x Width x Depth (Centimetres)			Number of Hoppers	Kg per Hopper	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
36400.0132	FPGA-2 DBC	Stainless	56.90	21.08	25.40	2	1.36	220-240	1.5	360	50/60	1	EURO	CE EAC
36400.0137	FPGA-2 DBC	Stainless	56.90	21.08	25.40	2	1.36	220-240	1.5	360	50/60	1	UK	CE
36400.0006	FPGA-2 DBC	Stainless	56.90	21.08	25.40	2	1.36	220-240	1.5	360	50/60	1	UK	KSA KUCAS ECAS
36800.0132	FPGA	Stainless	50.80	21.84	25.40	1	2.72	220-240	1.5	330-360	50/60	1	EURO	CE EAC
36800.0137	FPGA	Stainless	50.80	21.84	25.40	1	2.72	220-240	1.5	330-360	50/60	1	UK	CE



# Bulk

High volume grinding systems with turbo action that draws the coffee through the chamber for greater grinding speed and efficiency

## G2A, G3A HD

Grinds .45kg in under 30 seconds

Wide range of grinds can be selected

Convenient cleaning lever ensures complete clean out of grind chamber

## G2A TRIFECTA®

Chute assembly accommodates trifecta brew cup

Expanded range of precise grinds can be selected

May be used as a bulk grinder in behind-the-counter applications



G2A HD



G2A Trifecta



G3A HD

DESCRIPTION						CAPACITY		ELECTRICAL					AGENCY	
Product #	Model	Finish	Dimensions Height x Width x Depth (Centimetres)			Number of Hoppers	Kg per Hopper	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
22102.0232	G2A HD	Black	67.31	18.54	40.64	1	0.91	220-240	6.5	990-1080	50	1	EURO	CE EAC
22102.0237	G2A HD	Black	67.31	18.54	40.64	1	0.91	220-240	6.5	990-1080	50	1	UK	CE
22100.0021	G3A HD	Black	67.31	18.54	40.64	1	1.36	220-230	4.5	990-1035	50-60	1	IRAM	IRAM
22100.0035	G3A HD	Black	67.31	18.54	40.64	1	1.36	220	4.5	990-1080	50/60	1	INMETRO	INMETRO
22100.0023	G3A HD	Black	67.31	18.54	40.64	1	1.36	220-230	4.5	990-1035	50/60	1	KOREA	KC
22100.0232	G3A HD	Black	67.31	18.54	40.64	1	1.36	220-240	6.5	990-1080	50	1	EURO	CE EAC
22100.0237	G3A HD	Black	67.31	18.54	40.64	1	1.36	220-240	6.5	990-1080	50	1	UK	CE
22100.0038	G3A HD	Black	67.31	18.54	40.64	1	1.36	220-240	6.5	990-1080	50	1	UK	KUCAS
22100.0039	G3A HD	Black	67.31	18.54	40.64	1	1.36	220-240	6.5	990-1080	60	1	UK	KSA
41900.0023	G2A TRIFECTA	Silver	67.31	18.54	40.64	1	0.91	220-230	4.5	990-1035	50/60	1	KOREA	KC
41900.0232	G2A TRIFECTA	Silver	67.31	18.54	40.64	1	0.91	220-240	6.5	990-1080	50	1	EURO	CE EAC
41900.0237	G2A TRIFECTA	Silver	67.31	18.54	40.64	1	0.91	220-240	6.5	990-1080	50	1	UK	CE





# Bean-to-Cup & Espresso

# Crescendo® Espresso

Authentic espresso served pure, or built into your choice of 9 premium café beverages

Touchpad features two programmable portion sizes from 230 to 350ml and 9 beverage choices, plus hot water

9 bar brew pressure used with a variable brew group produces an excellent single or double shot with beautiful crema

Engineered with three powder hoppers; two 1.5kg hoppers for the larger demand flavors and a third 1kg hopper that allows for additional flavor

Pleasing design with a compact footprint



Crescendo™



### Touchpad features easy, step-by-step selections:

Two selectable sizes  
230 to 350 ml

9 beverage choices  
plus hot water



DESCRIPTION		DIMENSIONS			CAPACITY	ELECTRICAL							
Product #	Model	Height	Width	Depth	Shots/hr	Volts	Amps	Watts	Hertz	Phase	Plug	Agency	
		Height x Width x Depth (Centimetres)											
44300.0200	Crescendo	79.40	35.90	49.90	40	220-240	11.5-12.2	2500-2900	50	1	EURO	CE	
44300.0202	Crescendo	79.40	35.90	49.90	40	220-240	11.5-12.2	2500-2900	50	1	No	CE	
44300.0211	Crescendo	79.40	35.90	49.90	40	220-240	11.5-12.2	2500-2900	60	1	No	KSA	
44300.0212	Crescendo	79.40	35.90	49.90	40	220-240	11.5-12.2	2500-2900	60	1	No		
44300.0213	Crescendo	79.40	35.90	49.90	40	220-240	11.5-12.2	2500-2900	50	1	UK	CE	

Plumbing: 20-90 PSI. Machine supplied with garden hose fitting.





Sure Tamp® Auto

# Sure Tamp® Superautomatic Espresso

*BUNN exclusive design features constant and consistent tamping pressure throughout the brewing process*

Intellisteam® wand on SureTamp Steam model automatically steams to proper milk temperature

Two hoppers allow for your choice of fresh espresso beans

SureTamp Auto can be set up as self serve or crew serve

## Espresso Refrigerator

Designed to accommodate two standard 1gal (3.79L) milk jugs

Works in conjunction with BUNN Espresso® to deliver two types of milk







Optional use: side-by-side or below-counter design



Sure Tamp® Steam



Espresso Refrigerator

DESCRIPTION			CAPACITY	ELECTRICAL	AGENCY
Product #	Model	Dimensions Height x Width x Depth (Centimetres)	shots/hr	Volts	Listing
43400.xxxx*	Sure Tamp Steam	75.90 31.50 63.40	180	208	  
43400.xxxx*	Sure Tamp Auto	75.90 31.50 63.40	180	208	  
50214.0000	Espresso Refrigerator	42.16 35.56 68.58	n/a	115	 

\*BUNN Espresso is only available in limited markets. For more information, contact your BUNN Representative





**Iced Tea**



TB3QA

# Automatic Iced Tea

*Fresh iced tea brewing solution with simple switch operation*

Choose between 65.4cm or 73.7cm trunk height (see table for compatible dispensers)

Quickbrew (Q) funnel tip for shorter brewing cycles

Brews directly into any style server

Has adjustable steep time for more control over flavour extraction

Height	Compatible Dispensers
65.41cm trunk	TD4, TDS-3, TDO-3.5, TDO-4
73.7cm trunk	TD4, TD4T, TDO-3.5, TDO-4, TDO-5, TDO-N-3.5, TDO-N-4

Servers sold separately; see Parts and Accessories beginning page 76.



## RELATED PRODUCTS

**SOLD SEPARATELY**

### TEA FILTER PACK

Product No: 20100.0000  
Product No: 20138.1000



### INLET HOSE ASSEMBLY

Product No: 32865.1001

### TEA DISPENSERS



DESCRIPTION		CAPACITY			ELECTRICAL					AGENCY		
Product #	Model	Dimensions Height x Width x Depth (Centimetres)			236mL cups/hour	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
73.7CM TRUNK HEIGHT												
36700.0463	TB3A	94.49	32.26	68.07	303*	220-240	6.9-7.5	1500-1800	50/60	1	EURO	CE
36700.0467	TB3A	94.49	32.26	68.07	303*	220-240	6.9-7.5	1500-1800	50/60	1	No	KSA KUCAS ECAS
65.4CM TRUNK HEIGHT												
36700.0462	TB3QA	87.63	68.58	34.29	523*	220-240	6.9-7.5	1500-1800	50/60	1	EURO	CE
36700.0464	TB3QA	87.63	68.58	34.29	523*	220-240	6.9-7.5	1500-1800	50/60	1	INMETRO	INMETRO
36700.0466	TB3QA	87.63	68.58	34.29	523*	220-240	6.9-7.5	1500-1800	50/60	1	No	KSA KUCAS

Plumbing: 138-621 kPa. Machines supplied with 1/4" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.



# Infusion Series® DBC® Iced Tea

Achieve a variety of flavor profiles and batch options in a single unit

Three recipe buttons and full/half options for maximum flexibility; brew counter tracks number of batches

Single button graphic overlay to customize user interface

Quickbrew (Q) funnel tip for easy conversion

## ITB-DD DUAL DILUTION

Narrow footprint, designed to brew into two BUNN® TDO-N 3.5gal dispensers

Rotating brew basket, base adapter, color-coded decals, and dedicated dilution nozzles included

## SWEETENER

Easily adjust sweetener volume with the Sweet Meter

Separate sweetener inlet - use existing CO<sub>2</sub> systems or external third party pump for sweetener delivery



ITBA-DD



Servers sold separately; see Parts and Accessories beginning page 76.

SOLD SEPARATELY

## RELATED PRODUCTS

### QUICK DISPENSE TEA FUNNEL

Product No: 03021.0005

### TEA FILTER PACK

Product No: 20138.1000



### TEA DISPENSERS



DESCRIPTION		CAPACITY				ELECTRICAL					AGENCY		
Product #	Model	Sweetener	Dimensions Height x Width x Depth (Centimetres)			236mL cups/hr	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
52000.0500	ITBA-DD	Yes	89.10	31.10	55.40	337*	220-240	10.9-12.1	2900	50/60	1	INMETRO	

Compatible tea dispensers -TDO-N, TD3T-N





**Iced Tea & Coffee**

**NEW PRODUCT**

# Infusion Series® BrewWISE® DBC® Tea and Coffee

Achieve a variety of beverages in a single unit with programmable brewer control

## ITCB

Brews into all BUNN iced tea dispensers (except TDS-5), 1.9 to 3.8L airpots, thermal carafes and can accommodate BUNN® ThermoFresh® Servers



ITCBA



Servers sold separately; see Serving and Holding beginning page 65.

**SOLD SEPARATELY**

## RELATED PRODUCTS

### COFFEE FILTER PACK

Product No: 20138.1000



### TEA FILTER PACK

Product No: 20100.0000



### TEA DISPENSERS



### AIRPOTS AND THERMAL CARAFES



DESCRIPTION		CAPACITY COFFEE			CAPACITY TEA		ELECTRICAL					AGENCY	
Product #	Model	Dimensions Height x Width x Depth (Centimetres)			236mL cups/hour	236mL cups/hour	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
52200.0500	ITCBA	88.90	25.65	60.45	120*	337	220-240	13.2-14.1	2900-3400	50/60	1	EURO	CE
52200.0501	ITCBA	88.90	25.65	60.45	120*	337	220-240	13.2-14.1	2900-3400	50/60	1	INMETRO	INMETRO

Plumbing: 138-621 kPa. Machines supplied with 1/4" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.





ITCB-DV HV

# Infusion Series® BrewWISE® DBC® High Volume Tea and Coffee

*Achieve a variety of beverages in a single unit with programmable Digital Brewer Control*

Same functionality as model on page 47, but with high volume brewing capacity

Large 11.36L tank provides back-to-back brewing capacity

Optional side mount for hot water faucet

Includes both coffee and tea funnels

Dispensers sold separately; see Serving and Holding beginning page 65.



## RELATED PRODUCTS

SOLD SEPARATELY

### EQHP-10

Product No: 39000.0004

### EQHP-10L

Product No: 39000.0001

### EQHP-TEA

Product No: 39000.0007

### EQHP-TEA CARTRIDGE

Product No: 39000.1007

### INLET HOSE ASSEMBLY

Product No: 32865.1001



### TEA DISPENSERS



### SERVERS AND STANDS



### COFFEE FILTER PACK

Product No: 20138.1000



### TEA FILTER PACK

Product No: 20100.0000

DESCRIPTION		CAPACITY			ELECTRICAL					AGENCY			
Product #	Model	Dimensions Height x Width x Depth (Centimetres)			COFFEE 236mL cups/hour	TEA 236mL cups/hour	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
43000.0001	ITCBA HV	87.38	25.65	60.45	149*	524	220-240	11-12	2400-2900	50/60	1	EURO	CE

Plumbing: 138-621 kPa. Machines supplied with 1/4" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.



# Infusion Series® BrewWISE® DBC® Tea and Coffee

Achieve a variety of beverages in a single unit with programmable Digital Brewer Control

Brews into all BUNN iced tea dispensers (except TDS-5), 1.9 to 3.8L airpots, thermal carafes and can accommodate BUNN® ThermoFresh® Servers

Includes both coffee and tea funnels

Back-to-back brewing capability and allows 11.4 to 18.9L tea batches

Two programmable batch switches allow full and half batches of iced tea



ITCBA

SOLD SEPARATELY

## RELATED PRODUCTS

### COFFEE FILTER PACK

Product No: 20138.1000



### TEA FILTER PACK

Product No: 20100.0000



### STAINLESS STEEL SMART FUNNEL

Product No: 32643.0000

### INLET HOSE ASSEMBLY

Product No: 32865.1001



### TEA DISPENSERS



### AIRPOTS AND THERMAL CARAFES




Height	Compatible Dispensers
65.41cm trunk	TD4, TDS-3, TDO-3.5, TDO-4
73.66cm trunk	TD4, TD4T, TDO-3.5, TDO-4, TDO-5, TDO-N-3.5, TDO-N-4

DESCRIPTION		CAPACITY COFFEE			CAPACITY TEA		ELECTRICAL					AGENCY	
Product #	Model	Dimensions Height x Width x Depth (Centimetres)			236mL cups/hour	236/mL cups/hour	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
73.66CM (29IN) TRUNK HEIGHT													
35700.0029	ITCBA	87.30	29.29	60.40	149	336.8*	220-240	13.2-14.1	2900-3400	50/60	1	EURO	CE
35700.0049	ITCBA	87.30	29.29	60.40	149	336.8*	220-240	13.2-14.1	2900-3400	50/60	1	INMETRO	INMETRO
35700.0053	ITCBA	87.30	29.29	60.40	149	336.8	230	14	3200	50/60	1	IRAM	IRAM
35700.0058	ITCBA	87.30	29.29	60.40	149	336.8*	220-240	13.2-14.1	2900-3400	50/60	1	No	CE
35700.0063	ITCBA	87.30	29.29	60.40	149	336.8*	220-240	13.2-14.1	2900-3400	50/60	1	No	KSA KUCAS ECAS
65.41CM (25.75IN) TRUNK HEIGHT													
35700.0022	ITCBA	79.04	29.29	60.40	149	336.8*	220-240	13.2-14.1	2900-3400	50/60	1	EURO	CE
35700.0060	ITCBA	79.04	29.29	60.40	149	336.8*	220	12.7	2800	50/60	1	KOREA	CE K
35700.0013	ITCBA	79.04	29.29	60.40	149	336.8*	220-240	13.2-14.1	2900-3400	50/60	1	No	CE

Plumbing: 138-621 kPa. Machines supplied with 1/4" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.





## Hot Dispensed Beverages



# iMIX® 5s+ Hoppers

Sleek powdered beverage dispenser features a High Intensity® mixing chamber that delivers hot drinks with exceptional reliability and taste - all from an operator friendly design

Five 3.6kg hoppers

Variable speed motors allow control of product consistency in mixing chamber (.75 to 6.6g powder per second)

High speed, heavy-duty whipper for complete product mixing

Display allows adjustments and service operational testing from front of machine, communicates advertising messages, machine status, and technical support contact information

Dispense 68 355mL cups in 37 minutes before dropping 5.6°C from first cup serving temperature\*

Programmable for push and hold or single size portion control



iMIX-5S+A

SOLD SEPARATELY

## RELATED PRODUCTS

### EQHP-10

Product No: 39000.0004

### EQHP-10L

Product No: 39000.0001



### INLET HOSE ASSEMBLY

Product No: 32865.1001

DESCRIPTION					ELECTRICAL					AGENCY	
Product #	Model	Dimensions Height x Width x Depth (Centimetres)			Volts	Amps	Watts	Hertz	Phase	Plug	Listing
38100.0005	iMIX-5S+A	83.31	49.02	60.96	220-240	13.6-14.5	3000-3500	50/60	1	EURO	CE

Plumbing: 138-621 kPa. Machines supplied with 1/4" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.





iMIX-3A

## iMIX® 3 Hoppers

*Sleek powdered beverage dispenser features a High Intensity® mixing chamber that delivers hot drinks with exceptional reliability and taste - all from an operator friendly design*

Three 3.6kg hoppers

Auger motors with RPM feedback monitoring assure consistent flavours and profits by controlling powder dosing

Spring-loaded, all metal auger drive system for easy hopper installation

High speed, heavy-duty whipper for complete product mixing

High efficiency LED lighted front graphics for merchandising

Dispense 36 355mL cups in 14 minutes before dropping 5.6°C from first cup serving temperature\*

Cup clearance of 18.4cm

### RELATED PRODUCTS

SOLD SEPARATELY

#### EQHP-10

Product No: 39000.0004

#### EQHP-10L

Product No: 39000.0001



#### INLET HOSE ASSEMBLY

Product No: 32865.1001

DESCRIPTION					ELECTRICAL					AGENCY	
Product #	Model	Dimensions Height x Width x Depth (Centimetres)			Volts	Amps	Watts	Hertz	Phase	Plug	Listing
36900.0014	iMIX-3A	83.31	31.24	61.21	220-240	13.6-14.5	3000-3500	50/60	1	EURO	CE
36900.0031	iMIX-3A	83.31	31.24	61.21	220-240	13.6-14.5	3000-3500	50/60	1	KOREA	KC
36900.0051	iMIX-3A	83.31	31.24	61.21	220-240	13.6-14.5	3000-3500	50/60	1	No	KSA KUCAS

Plumbing: 138-621 kPa. Machines supplied with 1/4" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.





# Cold Dispensed Beverages



JDF-2SA

## Cold Beverage Twin Dispense Unlit Display

*Cold beverage concentrate dispenser with High Intensity® mixing system delivers quality cold beverages from an operator friendly design*

One dispenser delivers both frozen and ambient products increasing profits by lowering costs

Superior brix accuracy and burst capacity ensure consistent drinks throughout the day

Pumps and mixes 2:1 to 11:1 concentrated beverages, including 4:1 high viscosity and 5:1 juices accurately and consistently

Burst Capacity: At rate of one 355 mL drink/min, 70 drinks before exceeding 5°C (24°C ambient and 24°C incoming water temp)

20.8cm cup clearance accommodates most juice containers

### RELATED PRODUCTS

SOLD SEPARATELY

#### EQHP-10

Product No: 39000.0004



#### EQHP-10L

Product No: 39000.0001

#### INLET HOSE ASSEMBLY

Product No: 32865.1002

#### REFILLABLE JUICE CONTAINER

Product No: 39302.0000



#### AMBIENT CONCENTRATE CONVERSION KIT

Product No: 33699.0001

DESCRIPTION			ELECTRICAL							AGENCY
Product #	Model	Dimensions Height x Width x Depth (Centimetres)	Volts	Amps	Watts	Hertz	Phase	Plug	Listing	
37900.0003	JDF-2SA	84.07 25.40 64.77	220-230	2.65-2.85	450-480	50/60	1	EURO	CE	
37900.0041	JDF-2SA	84.07 25.40 64.77	220-230	2.65-2.85	450-480	50/60	1	INMETRO	INMETRO	

Plumbing: 138-621 kPa. Machines supplied with 1/4" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.



# Cold Beverage Twin Dispense Lit Display

*Cold beverage concentrate dispenser with High Intensity® mixing system delivers quality cold beverages from an operator friendly design*

One dispenser delivers both frozen and ambient products increasing profits by lowering costs

Superior brix accuracy and burst capacity ensure consistent drinks throughout the day

Pumps and mixes 2:1 to 11:1 concentrated beverages, including 4:1 high viscosity and 5:1 juices accurately and consistently

Burst Capacity: At rate of one 355 mL drink/min, 70 drinks before exceeding 5°C (24°C ambient and 24°C incoming water temp)

20.8cm cup clearance accommodates most juice containers



JDF-2SA LD



JDF-2SA IC LD

SOLD SEPARATELY

## RELATED PRODUCTS

### EQHP-10

Product No: 39000.0004



### EQHP-10L

Product No: 39000.0001

### REFILLABLE JUICE CONTAINER

Product No: 39302.0000



### INLET HOSE ASSEMBLY

Product No: 32865.1002

### AMBIENT CONCENTRATE CONVERSION KIT

Product No: 33699.0001

DESCRIPTION					ELECTRICAL					AGENCY	
Product #	Model	Dimensions Height x Width x Depth (Centimetres)			Volts	Amps	Watts	Hertz	Phase	Plug	Listing
37900.0010	JDF-2SA	84.07	25.40	64.77	220-230	2.65-2.85	450-480	50/60	1	EURO	CE
37900.0011	JDF-2SA Iced Coffee Display	84.07	25.40	64.77	220-230	2.65-2.85	450-480	50/60	1	EURO	CE
37900.0017	JDF-2SA Portion Control	84.07	25.40	64.77	220-230	2.65-2.85	450-480	50/60	1	EURO	CE

Plumbing: 138-621 kPa. Machines supplied with 1/4" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.





JDF-4SA

# Cold Beverage Four Dispense Heads Unlit Display

*Cold beverage concentrate dispenser with High Intensity® mixing system delivers quality cold beverages from an operator friendly design*

One dispenser delivers both frozen and ambient products increasing profits by lowering costs

Superior brix accuracy and burst capacity ensure consistent drinks throughout the day

Pumps and mixes 2:1 to 11:1 concentrated beverages, including 4:1 high viscosity and 5:1 juices accurately and consistently

Burst Capacity: At rate of three 355 mL drinks/min, 145 drinks before exceeding 5°C (24°C ambient and 24°C incoming water temp)

Single size portion control

“Stay clean” valve design



JDF-4SA IC



Segmented Door Kit\*

## RELATED PRODUCTS

SOLD SEPARATELY

### EQHP-10

Product No: 39000.0004



### EQHP-10L

Product No: 39000.0001

### INLET HOSE ASSEMBLY

Product No: 32865.1002

### REFILLABLE JUICE CONTAINER

Product No: 39302.0000



### AMBIENT CONCENTRATE CONVERSION KIT

Product No: 33699.0001

DESCRIPTION					ELECTRICAL					AGENCY		
Product #	Model	Dimensions Height x Width x Depth (Centimetres)			Cold Water Dispense	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
37300.0003	JDF-4SA	84.07	39.88	64.77	Yes	220-230	2.65-2.85	450-480	50/60	1	EURO	CE
37300.0021	JDF-4SA Iced Coffee Display	84.07	39.88	64.77	Yes	220-230	2.65-2.85	450-480	50/60	1	EURO	CE

Plumbing: 138-621 kPa. Machines supplied with 1/4" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.

\*Please contact your BUNN representative for more information about the segmented door conversion kit



# Cold Beverage Four Dispense Heads Lit Display

*Cold beverage concentrate dispenser with High Intensity® mixing system delivers quality cold beverages from an operator friendly design*

One dispenser delivers both frozen and ambient products increasing profits by lowering costs

Superior brix accuracy and burst capacity ensure consistent drinks throughout the day

Pumps and mixes 2:1 to 11:1 concentrated beverages, including 4:1 high viscosity and 5:1 juices accurately and consistently

Burst Capacity: At rate of three 355 mL drinks/min, 145 drinks before exceeding 5°C (24°C ambient and 24°C incoming water temp)

Single size portion control

"Stay clean" valve design



JDF-4SA LD



Segmented Door Kit\*

SOLD SEPARATELY

## RELATED PRODUCTS

### EQHP-10

Product No: 39000.0004



### EQHP-10L

Product No: 39000.0001

### REFILLABLE JUICE CONTAINER

Product No: 39302.0000



### INLET HOSE ASSEMBLY

Product No: 32865.1002

### AMBIENT CONCENTRATE CONVERSION KIT

Product No: 33699.0001

DESCRIPTION						ELECTRICAL					AGENCY	
Product #	Model	Dimensions Height x Width x Depth (Centimetres)			Cold Water Dispense	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
37300.0005	JDF-4SA	84.07	39.88	64.77	No	220-230	2.65-2.85	450-480	50/60	1	EURO	CE
37300.0007	JDF-4SA	84.07	39.88	64.77	Yes	220-230	2.65-2.85	450-480	50/60	1	EURO	CE
37300.0040	JDF-4SA	84.07	39.88	64.77	Yes	220-230	2.65-2.85	450-480	50/60	1	INMETRO	INMETRO
37300.0087	JDF-4SA	84.07	39.88	64.77	Yes	220-230	2.65-2.85	450-480	50/60	1	INMETRO	INMETRO

Plumbing: 138-621 kPa. Machines supplied with 1/4" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.

\*Please contact your BUNN representative for more information about the segmented door conversion kit





**Frozen Dispensed Beverages**

# Ultra®-2 Frozen Beverage System Manual Fill

*Frozen beverage dispenser with reversing auger technology for superior mixing and freezing*

Two 11.36L hoppers

Pour water and product mix directly into hopper; special plumbing not required

Torque sensory technology maintains consistent product thickness for superior beverages

Very simple to program and run with touchpad display, which also guides cleaning and preventive maintenance



Ultra-2A

DESCRIPTION							ELECTRICAL					AGENCY	
Product #	Model	Dimensions Height x Width x Depth (Centimetres)			Finish	Painted Frame	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
34000.0002	ULTRA-2A	81.28	40.64	62.23	Black	No	220-240	4.7-5.1	1050-1100	50/60	1	EURO	CE NSF
34000.0567	ULTRA-2A	81.28	40.64	62.23	Black	No	220-240	4.7-5.1	1050-1100	50/60	1	UK	CE NSF
34000.0003	ULTRA-2A	81.28	40.64	62.23	Stainless/White	No	220-240	4.7-5.1	1050-1100	50/60	1	EURO	CE NSF
34000.0566	ULTRA-2A	81.28	40.64	62.23	Stainless/White	No	220-240	4.7-5.1	1050-1100	50/60	1	UK	CE NSF
34000.0559	ULTRA-2A	81.28	40.64	69.85	Stainless/White	No	220-240	4.7-5.1	1050-1100	50/60	1	INMETRO	INMETRO
34000.0573	ULTRA-2A	81.28	40.64	69.85	Black	No	220-240	4.7-5.1	1050-1100	50/60	1	No	CE NSF
34000.0570	ULTRA-2A	81.28	40.64	69.85	Stainless/White	No	220-240	4.7-5.1	1050-1100	50/60	1	No	CE NSF
34000.0576	ULTRA-2A	81.28	40.64	62.23	Stainless/White	No	220-240	4.7-5.1	1050-1100	50/60	1	No	KSA KUCAS ECAS



Ultra-2

# Ultra<sup>®</sup>-2 Frozen Beverage System Liquid Auto Fill

*Frozen beverage dispenser with reversing auger technology for superior mixing and freezing*

Two 11.36L hoppers

Autofill models include autofill hoppers and factory installed liquid autofill kit for use with third party brix pumps or CO<sup>2</sup> system

Very simple to program and run with touchpad display, which also guides cleaning and preventive maintenance

## ULTRA-2 CF VALVE

Constant flow control for accurate brixing of product

Internal brixing allows interface with standard BIB Plumbing

Product #	Model	DESCRIPTION						ELECTRICAL					AGENCY	
		Dimensions Height x Width x Depth (Centimetres)			Finish	CF Valve	Painted Frame	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
34000.0066	ULTRA-2A Liquid Autofill	81.28	40.64	62.23	Stainless/Black	No	No	220-240	4.7-5.1	1050-1100	50/60	1	EURO	CE
34000.0558	ULTRA-2A Liquid Autofill	81.28	40.64	69.85	Stainless/Black	Yes	No	220-240	4.7-5.1	1050-1100	50/60	1	EURO	CE
34000.0556	ULTRA-2A Liquid Autofill	81.28	40.64	69.85	Stainless/White	Yes	No	220-240	4.7-5.1	1050-1100	50/60	1	EURO	CE
34000.0557	ULTRA-2A Liquid Autofill	81.28	40.64	69.85	Black	Yes	No	220-240	4.7-5.1	1050-1100	50/60	1	EURO	CE
34000.0568	ULTRA-2A Liquid Autofill	81.28	40.64	62.23	Black	Yes	No	220-240	4.7-5.1	1050-1100	50/60	1	UK	CE

Plumbing: 138-621 kPa. Machines supplied with 1/4" Male flare fitting. All plumbed models that are CE listed feature backflow prevention.





BUNN

96

READY

- TEMP +

ENERGY SAVER MODE

ON OFF



**Dispensed Water**



H3EA

# Precise Temperature Water Dispenser - Medium Volume

*Accuracy, adjustability, energy efficiency and styling in a quality hot water dispenser*

Precise temperature control and hot water on-demand to 96°

Contemporary, low profile design for front-of-house and self-service

Eco-friendly technology maximizes energy use

Thinsulate® tank insulation improves energy efficiency

Programmable "Energy Saver Mode" reduces operating costs during idle periods

LED display provides simple temperature adjustment

Intuitive blue LED dispense button

Cup clearance accommodates a range of serving options for custom-crafted, hand pour coffees and teas

Backed by standard BUNN® Commercial Warranty

Product #	Model	Dimensions Height x Width x Depth (Centimetres)			Temperature Setting °C	CAPACITY		ELECTRICAL					AGENCY
						WATER INPUT 15.6°C	L/hr	Volts	Amps	Watts	Hertz	Phase	
45300.0000	H3EA Element	49.02	19.3	56.52	96	29.9	220-240	11.5-12.5	2500-3000	50-60	1	UK	CE
45300.0001	H3EA Element	49.02	19.3	56.52	96	29.9	220-240	11.5-12.5	2500-3000	50/60	1	INMETRO	
45300.0002	H3EA Element	49.02	19.3	56.52	96	29.9	220-240	11.5-12.5	2500-3000	50-60	1	EURO	CE EAC
45300.0005	H3EA Element	49.02	19.3	56.52	96	29.9	220-240	11.5-12.5	2500-3000	50-60	1	No	KSA KUCAS ECAS
45300.0004	H3EA Element	49.02	19.3	56.52	96	29.9	220-240	11.5-12.5	2500-3000	50-60	1	KOREA	
45300.0009	H3XA Element	49.02	19.3	56.52	96	29.9	220-240	11.5-12.5	2500-3000	50-60	1	No	

Plumbing: 138-621 kPa. Machine supplied with 1/4" BSPP Male flare fitting.



# Precise Temperature Water Dispensers - Medium Volume

Accuracy, adjustability, energy efficiency and styling in a quality hot water dispenser

18.9L tank

Thinsulate® tank insulation provides increased energy efficiency

LED display provides simple temperature adjustment

Digital thermostat provides consistent and accurate temperatures of 15.6°-100°C

Programmable "Energy Saver Mode" reduces operating cost during idle periods



H5XA Element

SOLD SEPARATELY

## RELATED PRODUCTS

### INLET HOSE

Product No: 32865.1001

### SHELF KIT

Product No: 12599.0000

### WALL BRACKET KIT, SIDE MOUNT

Product No: 12542.0005

Product #	Model	DESCRIPTION			Finish	Temperature Setting °C	CAPACITY		ELECTRICAL					AGENCY	
							Water Input	L/hr	Volts	Amps	Watts	Hertz	Phase		Plug
43600.0032	H5XA Element	72.40	18.00	44.50	Stainless	100	15.6°C	36.6*	220-230	15.5-16	3400-3800	50/60	1	No	CE
43600.0013	H5XA Element	72.40	18.00	44.50	Stainless	100	15.6°C	36.6*	220-230	15.5-16	3400-3800	50/60	1	EURO	CE EAC
43600.0020	H5XA Element	72.40	18.00	44.50	Red	100	15.6°C	36.6*	220-230	15.5-16	3400-3800	50/60	1	EURO	CE EAC
43600.0022	H5XA Element	72.40	18.00	44.50	Black	100	15.6°C	36.6*	220-230	15.5-16	3400-3800	50/60	1	EURO	CE EAC
43600.0023	H5XA Element	72.40	18.00	44.50	White	100	15.6°C	36.6*	220-230	15.5-16	3400-3800	50/60	1	EURO	CE EAC
43600.0024	H5XA Element	72.40	18.00	44.50	Stainless	100	15.6°C	36.6*	220-240	15.5-16	3400-3800	50/60	1	INMETRO	INMETRO
43600.0035	H5XA Element	72.40	18.00	44.50	Stainless	100	15.6°C	36.6*	220-230	15.5-16	3400-3700	50/60	1	No	
43600.0037	H5XA Element	72.40	18.00	44.50	Stainless	100	15.6°C	36.6*	220-240	15.5-16	3400-3800	50/60	1	No	KSA KUCAS ECAS
43600.0040	H5XA Element	72.40	18.00	44.50	Black	100	15.6°C	17.9	120	15.4	1850	60	1	NEMA	NSF UL LISTED
43600.0041	H5XA Element	72.40	18.00	44.50	Stainless	100	15.6°C	36.6*	220-240	15.5-16	3400-3800	50/60	1	KOREA	KC
43600.0042	H5XA Element	72.40	18.00	44.50	Stainless	100	15.6°C	59.8	240	25	6050	60	1	NEMA	NSF UL LISTED
43600.0043	H5XA Element	72.40	18.00	44.50	Stainless	100	15.6°C	36.6*	220-240	15.5-16	3400-3800	50/60	1	No	UL LISTED

Plumbing: 138-621 kPa. Machine supplied with 1/4" OD Male flare fitting.



\*Capacity based on equipment voltage of 230V and a set temperature of 93°



HW2A

# Constant Temperature Water Dispenser - Medium Volume

Space-saving machine just 18cm wide to fit any counter

High quality, easy-to-clean stainless steel exterior and tank for a long life

Includes drip tray

## H5E/EA PC

Three programmable volume settings and one push and hold continuous dispense button



H5E/EA PC

## RELATED PRODUCTS

SOLD SEPARATELY

### ED-17-TL

Product No: 30201.1001

### ED-17-TL

Product No: 30201.1000



### INLET HOSE ASSEMBLY

Product No: 32865.1001

DESCRIPTION						CAPACITY		ELECTRICAL					AGENCY
Product #	Model	Dimensions Height x Width x Depth (Centimetres)			Temperature Setting °C	L/hr	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
02500.0006	HW2A	60.96	18.03	36.32	93.3	32.9	230	13.3	3050	50/60	1	EURO	
02500.0002	HW2A	60.96	18.03	36.32	93.3	19.3	220-240	7.3-7.9	1600-1900	50/60	1	EURO	CE EAC
02500.0015	HW2A	60.96	18.03	36.32	93.3	19.3	220-240	7.3-7.9	1600-1900	50/60	1	UK	CE
02500.0017	HW2A	60.96	18.03	36.32	93.3	19.3	220-240	7.3-7.9	1600-1900	50/60	1	No	KSA KUCAS
DESCRIPTION						CAPACITY		ELECTRICAL					AGENCY
Product #	Model	Dimensions Height x Width x Depth (Centimetres)			Temperature Setting °C	L/hr	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
39100.0003	H5EA PC	72.14	17.78	39.37	18.3-96.1	40.1*	220-240	15.5-16	3400-3800	50/60	1	EURO	CE EAC

Plumbing: 138-621 kPa. Machine supplied with 1/4 inch OD Male flare fitting.



# Constant Temperature Water Dispenser - Large Volume

High quality, easy-to-clean stainless steel exterior and tank for a long life

Constant 100°C temperature ensures consistent results

Includes dry-plug prevention for easy installation



H10X-80-240

SOLD SEPARATELY

## RELATED PRODUCTS

### EQHP-10

Product No: 39000.0004



### INLET HOSE ASSEMBLY

Product No: 32865.1001

### EQHP-10L

Product No: 39000.0001

### DRIP TRAY

Product No: 02497.0000

DESCRIPTION						CAPACITY		ELECTRICAL					AGENCY
						WATER INPUT 15.6°C	L/hr						
Product #	Model	Dimensions Height x Width x Depth (Centimetres)			Temperature Setting °C	L/hr	Volts	Amps	Watts	Hertz	Phase	Plug	Listing
26300.0000	H10X-80-240	87.38	25.91	62.23	100	50	240	33.5	8050	60	1	No	

Plumbing: 138-621 kPa. Machine supplied with 1/4 inch OD Male flare fitting.





## Serving & Holding

# Coffee Decanters

## EASY POUR®

BUNN® exclusive design; high quality stainless steel base with drip proof, fast-pour lip

Clear, impact-resistant material complies with FDA regulations for food contact

## GLASS DECANTERS

Reliable, shatter-resistant, and perfectly balanced with laboratory-grade, stress-free glass



Easy Pour®



Glass



Stainless Steel

DESCRIPTION					COMPATIBLE EQUIPMENT	
Product #	Model	Capacity	Handle Color	Quantity Per Case	Brewers	Agency
06100.0101	Easy Pour	1.9L	Black	1	Decanter Brewers VP17 AXIOM CW	
06100.0102	Easy Pour	1.9L	Black	2		
06100.0103	Easy Pour	1.9L	Black	3		
06100.0106	Easy Pour	1.9L	Black	6		
06100.0112	Easy Pour	1.9L	Black	12		
06100.0124	Easy Pour	1.9L	Black	24		
06100.0156	Easy Pour	1.9L	Black	6		
06101.0101	Easy Pour	1.9L	Orange	1		
06101.0102	Easy Pour	1.9L	Orange	2		
06101.0103	Easy Pour	1.9L	Orange	3		
06101.0106	Easy Pour	1.9L	Orange	6		
06101.0112	Easy Pour	1.9L	Orange	12		
06101.0124	Easy Pour	1.9L	Orange	24		
42400.0024	Glass	1.9L	Black	24		
42401.0101	Glass	1.9L	Orange	1		
42400.0103	Glass	1.9L	Black	3		
42401.0024	Glass	1.9L	Orange	24		
42400.0101	Glass	1.9L	Black	1		
42401.0103	Glass	1.9L	Orange	3		
06026.0000	Stainless	1.9L	Black	1		
06041.0000	Stainless	1.9L	Orange	1		





Vacuum Pitcher



Lever-Action Airpot



Push-Button Airpot



Seamless Thermal Carafe



Thermal Carafe

# Thermal Carafes, Pitchers and Airpots

## THERMAL CARAFE

Unbreakable stainless steel interior and exterior

## THERMAL PITCHER

Stainless steel lining ensures hot coffee for hours

## PUSH-BUTTON AIRPOT

Brew-thru pump assembly - no need to remove for brewing

## LEVER-ACTION AIRPOT

Brew-thru lid with lever-action for easy use



### CARAFES

Product #	Model	Capacity	Liner	Lid Color	Quantity per Case	Compatible Brewers	Agency
36029.0001	Deluxe Thermal Carafe	1.9L	Stainless Steel	Black	1	SmartWAVE CWTF-TC	 
36029.0000	Deluxe Thermal Carafe	1.9L	Stainless Steel	Black	12		
36252.0001	Deluxe Thermal Carafe	1.9L	Stainless Steel	Orange	1		
36252.0000	Deluxe Thermal Carafe	1.9L	Stainless Steel	Orange	12		
51746.0001	Seamless Thermal Carafe	1.9L	Stainless Steel	Black	1		
51746.0101	Seamless Thermal Carafe	1.9L	Stainless Steel	Black	12		

### PITCHERS

Product #	Model	Capacity	Liner	Quantity per Case	Brewers	Agency
39430.0000	Vacuum	1.9L	Stainless Steel	1	SmartWAVE	
39430.0100	Vacuum	1.9L	Stainless Steel	6	SmartWAVE	

### AIRPOTS

Product #	Model	Capacity	Liner	Quantity per Case	Brewers	Agency
28696.0002	Push-Button	2.2L	Glass	1	CW-APS ICB ICB Twin SmartWAVE CWTF-APS CWTF Twin APS ITCB AXIOM APS	 Intertek 
28696.0006	Push-Button	2.2L	Glass	6		
13041.0001	Push-Button	2.5L	Glass	1		
13041.0101	Push-Button	2.5L	Glass	6		
32700.0000	Lever-Action	2.2L	Glass	6		
44311.0000	Lever-Action	2.2L	Stainless Steel	1		 
44311.0100	Lever-Action	2.2L	Stainless Steel	6		
32125.0000	Lever-Action	2.5L	Stainless Steel	1		
32125.0100	Lever-Action	2.5L	Stainless Steel	6		
32130.0000	Lever-Action	3L	Stainless Steel	1		
32130.0100	Lever-Action	3L	Stainless Steel	6		
36725.0000	Lever-Action	3.8L	Stainless Steel	1		
36725.0100	Lever-Action	3.8L	Stainless Steel	6		



# Universal Airpot Racks

Versatile merchandising system for airpots

Displays can be combined or taken apart easily for greater flexibility

Sturdy, carbon-steel wire construction with vinyl coating resists corrosion, easy to clean

Configurations available for two to six airpots



UNIV-3 APR



UNIV-4 APR



UNIV-2 APR

Product #	Model	Dimensions Height x Width x Depth (Centimetres)			Capacity
35728.0000	UNIV-2 APR (1 Upper, 1 Lower)	35.81	19.05	61.21	Two Airpots
35728.0001	UNIV-2 APR (2 Lower)	17.53	37.85	28.45	Two Airpots
35728.0002	UNIV-3 APR (3 Lower)	17.53	58.17	28.45	Three Airpots
35728.0003	UNIV-4 APR (2 Upper, 2 Lower)	35.56	37.85	63.25	Four Airpots
35728.0004	UNIV-5 APR (3 Upper, 2 Lower)	35.56	58.17	63.25	Five Airpots
35728.0005	UNIV-6 APR (3 Upper, 3 Lower)	35.56	58.17	63.25	Six Airpots



3.8L TF Server  
(Stand included)

# ThermoFresh® Digital Gauge Servers

*Holds flavour profile for hours without traditional warming plates*

## TF SERVER

Digital timer begins to count up in one minute increments to specifically display how long the brewed beverage has been stored; requires four AAA batteries; display shows low battery symbol

Choose from stainless or black finishes

Brew-thru lid design also features a pour spout for easy emptying and cleaning

Translucent faucet guard for visibility while dispensing

Ideal for use with Single or Dual TF DBC Brewers

## TF SERVER WITHOUT STAND

Ideal with Infusion Series® Coffee Brewer (ICB)

## TF SERVER STAND

Use for easy dispensing; 17.9cm cup clearance



Built-in drip tray is easily removed for cleaning or providing extra clearance for large vessels



3.8L TF Server  
without Stand



TF Server Stand

Product #	Model	Dimensions			Holding Capacity	Includes Stand	Finish	Compatible Brewers	Agency
		Height	Width	Depth					
42700.0000	TF Server DSG2	52.58	23.62	33.02	3.8L	Yes	Stainless/Black	Single TF DBC, Dual TF DBC, ITCB, ITCB HV	 
42750.0000	TF Server DSG2	57.66	23.62	33.02	5.7L	Yes	Stainless/Black		
42750.0001	TF Server DSG2	57.66	23.62	33.02	5.7L	Yes	Black		
42700.0050	TF Server DSG2	32.00	23.11	32.26	3.8L	No	Stainless	ICB ICB Twin	
42700.0051	TF Server DSG2	32.00	23.11	32.26	3.8L	No	Black		
42750.0050	TF Server DSG2	37.34	23.11	32.26	5.7L	No	Stainless		
42750.0051	TF Server DSG2	37.34	23.11	32.26	5.7L	No	Black		
39795.0003	TF Server Stand	24.64	23.50	33.02	n/a	n/a	Black	TF Servers Without Stand	



# Thermofresh® Mechanical Gauge Servers

*Holds flavour profile for hours without traditional warming plates*

## TF SERVER

Glass sight gauge on front of server allows for visible indication of level capacity

Brew-thru lid design also features a pour spout for easy emptying and cleaning

Translucent faucet guard for visibility while dispensing

Choose from stainless or black finishes

Ideal for use with Single or Dual TF DBC Brewers

## TF SERVER WITHOUT STAND

Ideal with Infusion Series® Coffee Brewer (ICB)

## TF SERVER STAND

Use for easy dispensing; 17.9cm cup clearance

Built-in drip tray is easily removed for cleaning or providing extra clearance for large vessels



5.7L TF Server  
(Stand included)



3.8L TF Server  
without Stand



TF Server Stand

Product #	Model	Dimensions			Holding Capacity	Includes Stand	Finish	Compatible Brewers	Agency
		Height	Width	Depth					
44000.0000	TF Server	52.83	23.11	33.02	3.8L	Yes	Stainless	Single TF DBC Dual TF DBC, ITCB ITCB HV	 
44000.0001	TF Server	52.83	23.11	33.02	3.8L	Yes	Black		
44050.0000	TF Server	58.17	23.62	33.02	5.7L	Yes	Stainless		
44050.0001	TF Server	58.17	23.62	33.02	5.7L	Yes	Black		
44000.0050	TF Server	32.26	23.11	32.26	3.8L	No	Stainless	ICB ICB Twin	
44000.0051	TF Server	32.26	23.11	32.26	3.8L	No	Black		
44050.0050	TF Server	32.26	23.11	32.26	5.7L	No	Stainless		
44050.0051	TF Server	32.26	23.11	32.26	5.7L	No	Black		
39795.0003	TF Server Stand	24.64	23.50	33.02	n/a	n/a	Black	TF Servers Without Stand	



1 SH Server and Docking Station



2SH Docking Station



1 SH Server and Docking Station



2SH Docking Station

# Soft Heat® Server System

BUNN exclusive technology automatically manages heat in the docking system

## SH SERVER

- 5.7L capacity; choose from five optional holding time settings
- Safety-Fresh® brew-thru lid with vapor seal and spill prevention
- Soft grip handle for secure portability

## SH DOCKING STATION

- Remote one and two server docking stations with 10.2cm legs
- Instant power contact with servers
- Add additional remote stations to increase volume

Product #	Model	Dimensions			Holding Capacity	Setting	Finish	Volts	Amps	Watts	Hertz	Phase	Plug	Compatible Brewers	Agency
		Height	Width	Depth											
27850.0200	SH Server NEW	36.83	23.11	33.78	5.7L	n/a	Stainless/Black								NSF UL LISTED
27850.0001	SH Server	42.16	21.59	35.56	5.7L	n/a	Stainless/Black							Single SH DBC Dual SH DBC Single SH Dual SH	KSA
27850.0006	SH Server	42.16	21.59	35.56	5.7L	45min	Stainless			n/a					NSF
27850.0009	SH Server	42.16	21.59	35.56	5.7L	Adjustable Timer	Stainless/Black								UL LISTED
27850.0016	SH Server	42.16	21.59	35.56	5.7L	240min	Stainless								
27850.0049	SH Server	42.16	21.59	35.56	5.7L	n/a	Stainless								KSA UL LISTED
27825.0300	1SH Docking Stations NEW	23.60	25.90	30.00	1 SH Server		Stainless	220-240	0.45-0.49	70-80	50/60	1	EURO	NEW INFUSION SERIES 51100.0500	CE
27875.0300	2SH Docking Station NEW	23.60	51.30	30.00	2 SH Server		Stainless	220-240	0.75-0.82	150-160	50/60	1	EURO	NEW INFUSION SERIES 51100.0500	CE
27825.0001	1SH Docking Stations	34.42	25.65	33.53	1 SH Server	n/a	Stainless	220-240	0.33-0.36	70-85	50/60	1	EURO	1 SH Server	CE NSF EAC
27825.0002	1SH Docking Stations	34.42	25.65	33.53	1 SH Server	n/a	Black	220-240	0.33-0.36	70-85	50/60	1	UK	1 SH Server	CE NSF
27825.0018	1SH Docking Stations	33.91	25.65	33.53	1 SH Server	n/a	Stainless	220-240	0.33-0.36	70-85	50/60	1	No	1 SH Server	KSA KUCAS
27875.0001	2SH Docking Station	34.42	47.50	33.53	2 SH Server	n/a	Black	220-230	0.68-0.76	140-170	50/60	1	EURO	2 SH Server	CE NSF EAC
27875.0005	2SH Docking Station	34.42	47.50	33.53	2 SH Server	n/a	Stainless	220-240	0.68-0.76	140-170	50/60	1	INMETRO	2 SH Server	INMETRO



# GPR Servers and Remote Warmers

Convenient servers and warming stands allow for easy set-up and maintenance of remote serving stations

## PORTABLE SERVER

5.7L capacity

Top handle allows for easy transport to remote service

Safety-Fresh® brew-thru lid with vapor seal and spill prevention

## WARMER

Adjustable black plastic legs



1.5 GPR-FF



RWS1 Warmer

### SERVER

Product #	Model	Dimensions Height x Width x Depth (Centimetres)			Capacity	Finish	Compatible Brewers	Agency
20950.0004	1.5GPR-FF	24.89	17.02	32.33	5.7	Stainless/Black	Single and Dual	NSF
20950.0019	1.5GPR-FF	24.89	17.02	32.33	5.7	Stainless/Black	Single and Dual	KSA KUCAS

### WARMER

Product #	Model	Dimensions Height x Width x Depth (Centimetres)			Capacity	Finish	Volts	Amps	Watts	Hertz	Phase	Plug	Compatible Servers	Agency
12203.0010	RWS1	22.86	21.59	23.62	1 GPR Server	Stainless	120	1	100	60	1	NEMA 5-15P	1.5GPR	UL LISTED NSF





Narrow

Square

Round



Oval

TD3T-N

# Iced Tea and Iced Coffee Dispensers

Solid stainless construction stands up to demands of foodservice environments

Sump dispense valves assure complete dispensing of beverage

Variety of shapes and sizes for every counter configuration

For Accessories please visit [BUNN.com](http://BUNN.com)



NARROW						
Product #	Model	Capacity	Handles	Additional Feature	Brewers	Agency
39600.0001	TDO-N-3.5	13.2L	Front/Back	Standard Dispense Faucet	Tall models w/ 73.66cm trunk: TB3 ITCB, ITCB HV	
39600.0031	TDO-N-3.5	13.2L	Front/Back	Lift Dispense Faucet		
39600.0002	TDO-N-4.0	15L	Front/Back	Standard Dispense Faucet		
43900.0001	TD3T-N	13.2L	Front/Back	Lift Handle, Brew-Thru Lid		
43900.0002	TD3T-N	13.2L	Front/Back	Lift Handle, Solid Lid		
SQUARE						
03250.0003	TD4	15.1L	Side	Solid Lid	Short models w/ 65.41cm trunk: TB3 ITCB	
03250.0006	TD4T	15.1L	Side	Brew-Thru Lid		
03250.0004	TD4	15.1L	Side	Solid Lid, Tall	Tall models w/ 73.66cm trunk: ITCB ITCB HV	
03250.0005	TD4T	15.1L	Side	Brew-Thru Lid, Tall		
03250.0018	TD4T	15.1L	Side	Brew-Thru Lid, Tall, No Decal		
CYLINDER - ROUND						
33000.0000	TDS-3	11.4L	Side	Stainless Lid	TB3 ITCB ITCB HV	
33000.0001	TDS-5	18.9L	Side	Stainless Lid	TU5	
CYLINDER - OVAL						
34100.0000	TDO-4	15L	Side	Solid, Plastic Lid	TB3 ICB ITCB HV	
34100.0002	TDO-4	15L	Side	Brew-Thru Plastic Lid		
34100.0001	TDO-5	18.9L	Side	Solid, Plastic Lid		
34100.0003	TDO-5	18.9L	Side	Brew-Thru Plastic Lid		
TEA CONCENTRATE DISPENSERS						
37750.0002	TCD-2	253.6L/hr	Side	Two Nozzle		





**Easy-Clear** MODEL # EQHP-10LCRTG  
Mechanical and Chemical Reduction Replacement Cartridge for IQHP-10L Water Conditioning System Part# 20052-1001

For hot beverage or ice Applications	Chlorine Taste and Disinfection Reduction
Particulate Reduction Down to 1.0 Microns	Built-in Scale Inhibitor (As tested per NSF-61)
No Activation Required	<b>BUNN</b>

**NSF** Certified and certified by NSF International against NSF-61 Standard 42 for the reduction of chlorine and the capacity specified on the Performance Data Sheet.

# Parts and Accessories

BUNN Corporation, Post Office Box 3227  
Springfield, Illinois 62798-3227  
USA phone: (217) 529-0001 • www.bunn.com

© 2011 BUNN Corporation  
BUNN and Easy-Clear are trademarks of the BUNN O-Matic Corporation  
NSF is a trademark of NSF International  
Made in the USA with globally sourced components 24 0711000-1

Date installed: \_\_\_\_\_  
Date to be Changed: \_\_\_\_\_



EQHP Twin 70L

# Water Quality Filter Systems

*Quality beverages begin with quality water*

BUNN® water quality filtration systems, when used with BUNN brewing equipment, ensure that your customers are getting the best tasting beverage possible. The Easy Clear® filters are manufactured to BUNN specifications and address water characteristics such as taste, odor, sediment, and hardness.

## WATER QUALITY FILTER SYSTEMS

Part #	Model #	Lifetime Capacity/ Chlorine Reduction	Output Flow Rate	Taste & Odor	Sediment	Lime	Softwater	Replacement Cartridges	
30200.1000	EQ-17-TL	5600L	1.9Lpm	•		•		30200.1001	
39000.0001	EQHP10L	37,800L	5.7Lpm	•	•	•		39000.1001	
39000.0004	EQHP10	37,800L	5.7Lpm	•	•			39000.1004	
39000.0002	EQHP25L	94,600L	7.9Lpm	•	•	•		39000.1002	
39000.0005	EQHP25	94,600L	7.9Lpm	•	•			39000.1005	
39000.0011	EQHP35L	132,400L	12.6Lpm	•	•	•		39000.1011	
39000.0003	EQHP54L	204,400L	18.9Lpm	•	•	•		39000.1003	
39000.0006	EQHP54	204,400L	18.9Lpm	•	•			39000.1006	
39000.0012	EQHP-TWIN 70L*	264,900L	25.3Lpm	•	•	•		(2) 39000.1011	
39000.0013	EQHP-TWIN 108SP**	408,800L	37.8Lpm	•	•	•		(2) 39000.1006, (1) 39000.1010	
39000.0010	Scale-Pro®	Recommended 6 month change-out					•		39000.1010
39000.0008	EQHP-ESP	1,500L @ 2.77GPL @ 2Lpm		•				39000.1008	
39000.0009	EQHP-SFTN	1350 grains		•			•	39000.1009	
39000.0007	EQHP-TEA	4350 grains		•				39000.1007	

\*Requires two (2) cartridges. \*\*Requires three (3) cartridges

## CLEANING AGENTS

Product #	Cleaning Product	Description	For use with
24634.0001	Kay-5®	Box of 50 individual packs	coffee brewers, servers, juice and granita dispensers
24634.0000		Box of 200 individual packs	
37306.0000	Dezcal™	Cleaning powder (individual pack)	coffee brewers and servers
39637.0000	TABZ™	Cleaning tablets (individual pack)	
39637.0001		Cleaning tablets (case of twelve)	
39159.0000	GRINDZ™	Grinder cleaner (individual pack)	grinders
39159.0001		Grinder cleaner (case of twelve)	
36000.1189	Cafiza™	Cleaning tablets (individual pack)	espresso system
36000.1188		Cleaning tablets (case of twelve)	
39265.0000	Rinza™	Milk froth cleaner (individual pack)	
39265.0001		Milk froth cleaner (case of six)	
39265.0010	Complete Café™	Espresso machine sanitizer (individual pack)	
39265.0011		Espresso machine sanitizer (case of six)	

## ACCESSORIES

Product #	Product	Capacity @ Flow Rate
29875.0001	FLOWJET® System	1.0 GPM (3.8 LPM) at open flow (12 V, .5 AMP)
24700.0000	Frothaway	



# Paper Filters

Selection of coffee filters is a vital step in brewing perfect coffee - don't settle for anything less than BUNN® quality coffee filters. Using the results of years of research, BUNN manufactures the best filters from high quality, heavy weight paper, so the water flows properly through the coffee. Our filters are uniquely designed for strength with taller walls to help reduce overflow and grounds in your coffee.

BUNN's paper stock used in the manufacturing of our coffee filters is produced using an elemental chlorine-free (ECF) bleaching method.

## BUNN PAPER FILTER MATERIALS MEET:

Restrictive limits as stated in Resolution ResAP(2002)1 on paper and board materials intended to come into contact with foodstuff

Compositional and end product requirements stated in the Dutch legislation "Regeling Verpakkingen en gebruiksartikelen, Chapter II, Paper and board, pt 2 Paper and board used as cooking paper and for filtering above 80°C"

Limits stated in the German recommendation BfR XXXVI Paper and board for food contact and the special requirements in BfR XXXVI/1 for Cooking Papers, hot filter papers and filter layers



Product #	Filter Type	Description	Number per Bag	Bags per Case	Number Cluster	Overall Measure x Base Diameter (millimetres)	Packed per Case	Case Weight (lbs/kg)	Cases per Skid/Tier
20115.0000	Decanter Filters	Regular C, S, R, O, VLPF, VPR, VPS, VP-17	500	2	50	247.65 x 107.95	1000	4.2/1.91	180/15
20116.0000		Regular Narrow C, S, R, O, VLPF, VPR, VPS, VP-17	500	2	50	241.3 x 82.55	1000	4.2/1.91	180/15
20122.0000		Regular Fast Flow C, S, R, O, VLPF, VPR, VPS, VP-17	500	2	50	247.65 x 107.95	1000	4.5/2.04	180/15
20109.0000	Urn Filters	Urn - U3, SRU, IC-3	252	1	36	450.85 x 184.15	252	5.5/2.49	88/11
20112.0000		Narrow Base Urn	250	1	25	469.9 x 158.75	250	5.5/2.49	88/11
20124.0000		Urn, 11.4L	252	1	36	482.6 x 184.15	252	6.1/2.77	88/11
20111.0000		Titan, Urn	252	1	36	508 x 196.85	252	6.6/2.99	84/12
20125.0000		Urn, 22.7L	250	1	25	533.4 x 222.25	250	7.5/3.4	72/9
20113.0000		Urn, 37.9L	250	1	25	603.25 x 222.25	250	9.3/4.22	54/9
20131.0000		Urn, 37.9L	252	1	36	615.95 x 273.05	252	9.7/4.40	36/6
20120.0000	Other Filters	System III	252	2	36	384.18 x 136.53	504	8.5/3.86	108/12
20100.0000		Tea Brewers, Single & Dual Coffee brewers, 5.7L urns, ITCB, System II	500	1	50	323.85 x 133.35	500	4.7/2.13	150/15
20157.0001		Gourmet C funnel	500	2	50	349.25 x 133.35	1000	8.25/3.74	60
20138.1000		Gourmet, Single TF, Dual TF, Single SH, Dual SH, Single, Dual, 5.7L urns	500	1	36	349.25 x 133.35	504	5.5/2.49	108/12



## Stock Funnels

	<p><b>URN FUNNEL</b></p> <p>Product Number 07022.0012</p> <p>For use with U3 brewers</p>		<p><b>TITAN® FUNNEL</b></p> <p>Product Number 40114.0000</p> <p>For use with Titan® brewers</p>
	<p><b>BLACK PLASTIC SPLASHGARD® FUNNEL WITH DECALS</b></p> <p>Product Number 20583.0003</p> <p>For use with CDBC, CWT, AXIOM®, Smart WAVE® Brewers</p> <p>Product Number 29351.0001</p> <p>For use with O, R, CDBD Twin, CWT Twin and AXIOM® Twin Brewers</p>		<p><b>GOURMET C FUNNEL</b></p> <p>Product Number 34559.0000</p> <p>For use with CDBC, CWT AXIOM® and Smart-WAVE® APS and TC brewers</p> <p>Product Number 34559.0001</p> <p>For use with CDBC Twin, CWT Twin and AXIOM® Twin APS and TC brewers</p> <p>Universal design – handle may be moved to appropriate side</p> <p>Allows brewing heavier throw weights</p> <p>Product Number 34559.0003</p> <p>For use with older ITCB</p>
	<p><b>BLACK PLASTIC SMART FUNNEL</b></p> <p>Product Number 53463.0008</p> <p>For use when brewing coffee with new Infusion Series® ITB and ITCB Brewers</p>		<p><b>TRANSLUCENT COFFEE FUNNEL</b></p> <p>Product Number 20583.0002</p> <p>For use with VP and CWTF brewers</p> <p>Product Number 29351.0000</p> <p>For use with O, R, CDBC Twin, CWT Twin and AXIOM® Twin brewers</p>
	<p><b>BLACK PLASTIC SINGLE/DUAL FUNNEL</b></p> <p>Product Number 53463.0008</p> <p>For use with new Infusion Series® SH and Twin SH Brewers</p>		<p><b>TRANSLUCENT TEA FUNNEL</b></p> <p>Product Number 03021.0016</p> <p>For use with Smart WAVE® brewer</p>
	<p><b>STAINLESS STEEL SPLASHGARD® FUNNEL</b></p> <p>Product Number 20216.0000</p> <p>For use with CDBC, CWT AXIOM® and Smart WAVE® brewers</p> <p>Product Number 20217.0000</p> <p>For use with O, R, CDBC Twin, CWT Twin and AXIOM® brewers</p>		<p><b>TRANSLUCENT TEA FUNNEL</b></p> <p>Product Number 03021.0004</p> <p>For use with TB3, TU3, and older ITCB brewers</p> <p>Product Number 03021.0005_ (Quick Dispense)</p> <p>For use with TB3Q, TU3Q, and older ITB brewers</p>
	<p><b>STAINLESS STEEL SINGLE/DUAL FUNNEL</b></p> <p>Product Number 20201.1201</p> <p>For use with older Single®, Dual®, and Soft Heat® brewers</p>		<p><b>TRANSLUCENT DUAL DILLUTION TEA FUNNEL</b></p> <p>Product Number 03021.0013</p> <p>For use with TB6 brewer</p> <p>Product Number 03021.0014</p> <p>For use with TB6Q brewer</p>
	<p><b>SMART FUNNEL®</b></p> <p>Product Number 32643.0000</p> <p>Standard w/ bypass</p> <p>Product Number 32643.0010</p> <p>w/D-Ring basket</p> <p>For use with older BrewWISE®, ThermoFresh®, Soft Heat®, DBC® and ICB brewers</p>		<p><b>TRANSLUCENT TEA FUNNEL</b></p> <p>Product Number 53463.0010</p> <p>For use with new Infusion Series® ITCB Brewers</p>

*NOTE: All funnels shown on this page are designed with SplashGard® to help deflect hot liquids away from the hand.*



## Special Purpose Funnels

## Drip Trays Coffee



### TRANSLUCENT POUCH PACK FUNNEL

Product Number 35282.0001

For use with TU3Q brewer

Product Number 35282.0002


For use with TU3 and TB3 brewers

Use with rectangular tea pouch pack



### INFUSION SERIES® SH BREWERS AND SH STAND

Product Number [53452.00001](#)



### POUCH PACK FUNNEL FOR SATELLITE BREWERS

Product Number 35282.0000

For use with older Single and Dual SH brewers



### RWS1 WARMER

Product Number 20213.0103



### POUCH PACK FUNNEL FOR SATELLITE BREWERS

Product Number 29151.0000  
Black Handle

Product Number 29151.0001  
Orange Handle

Interchangeable handle allows use with all BUNN decanter brewers



### INFUSION SERIES® TWIN SH BREWERS AND 2 SH STAND

Product Number 53452.0000



### POUCH PACK FUNNEL FOR SMALL BREW CHAMBER BREWERS

Product Number 02073.0010

For use with O and R brewers

Product Number [02774.0010](#) Brown

Product Number 02774.0011 Black

For use with VP and CWTF brewers



### DUAL® BREWERS

Product Number 20213.0101



### POUCH PACK FUNNEL FOR LARGE BREW CHAMBER BREWERS

Product Number 02074.0010

For use with O and R brewers

Product Number [04274.0010](#) Brown

Product Number 04274.0012 Black

For use with VP and CWTF brewers



### LCR-3 HV

Product Number 41656.0000

*NOTE: Only funnels #35282.0001, #35282.0002, and #35282.0000 on this page are designed with SplashGard® to help deflect hot liquids away from the hand.*



### AIRPOT RACK

Product Number 25368.0000 Tray

Product Number [25367.0000](#) Tray Liner



### THERMOFRESH SERVER®

Product Number [38931.0000](#) Tray

Product Number [38932.0000](#)  
Tray Cover



### U3 COFFEE URN

Product Number 07284.0000

## Drip Trays **Dispensed Water**



### HW2, H5M, and H5X

Product Number 02497.0000



### OHW

Product Number 02497.0001

## Drip Trays **Tea**



### TCD and TDO

Product Number 38029.1000



### TDO-N

Product Number 39626.0000 Tray

Product Number 39627.0000  
Tray Cover

## Drip Trays **Hot Beverage**



### FMD-1 and FMD-2

Product Number 02571.0000 Tray



Product Number 28966.0000  
Tray Cover



### FMD-3

Product Number 28699.0000 Tray



Product Number 28267.0000  
Tray Cover



### FMD-4 and FMD-5

Product Number 34716.0000 Tray



Product Number 34717.0000  
Tray Cover



### iMIX-3

Product Number 36984.0000 Tray



Product Number 36985.0000  
Tray Cover



### iMIX-4 and iMIX-5

Product Number 36670.0000 Tray




Product Number 36739.0000  
Tray Cover

## Drip Trays **Cold Beverage**



### JDF-2S

Product Number 38765.1000



### JDF-2S EXTENDED

Product Number 44015.0103

Increases cup clearance to 26cm



### JDF-4S and LCR-3

Product Number 38764.1001



### JDF-4S EXTENDED

Product Number 40789.1000

Increases cup clearance to 26cm

## Drip Trays **Frozen Beverage**



### ULTRA-2 WHITE

Product Number 28086.0000 Tray

Product Number 32068.0000  
Tray Cover



### ULTRA-2 BLACK

Product Number 28086.0001 Tray

Product Number 32068.0001  
Tray Cover

